Centre No.				Paper Reference			Surname	Initial(s)			
Candidate No.			6	6	6	3	/	0	1	Signature	

Paper Reference(s)

6663/01

Edexcel GCE

Core Mathematics C1 Advanced Subsidiary

Monday 19 May 2014 – Morning

Time: 1 hour 30 minutes



Exam	Examiner's use only			
T II'I				

Team Leader's use only					

Question

1

2

Materials required for examination	Items included with question paper
Mathematical Formulae (Pink)	Nil

Calculators may NOT be used in this examination.

Instructions to Candidates

In the boxes above, write your centre number, candidate number, your surname, initials and signature. Check that you have the correct question paper.

Answer ALL the questions.

You must write your answer for each question in the space following the question.

Information for Candidates

A booklet 'Mathematical Formulae and Statistical Tables' is provided.

Full marks may be obtained for answers to ALL questions.

The marks for individual questions and the parts of questions are shown in round brackets: e.g. (2).

There are 11 questions in this question paper. The total mark for this paper is 75.

There are 28 pages in this question paper. Any blank pages are indicated.

Advice to Candidates

You must ensure that your answers to parts of questions are clearly labelled. You should show sufficient working to make your methods clear to the Examiner. Answers without working may not gain full credit.

This publication may be reproduced only in accordance with Pearson Education Ltd copyright policy.
©2014 Pearson Education Ltd.

 $\overset{\text{Printer's Log. No.}}{P43014A}$

W850/R6663/57570 5/5/5/1/



Turn over

Total

PEARSON

$\int (8x^3 + 4) \mathrm{d}x$	
giving each term in its simplest form.	(3)

(Total 3 marks)

(a) Write down the value of $32^{\frac{1}{5}}$ (b) Simplify fully $(32x^5)^{-\frac{2}{5}}$	(1)
	(3)



- 3. Find the set of values of x for which
 - (a) 3x 7 > 3 x

(2)

(b) $x^2 - 9x \le 36$

(4)

(c) **both** 3x - 7 > 3 - x **and** $x^2 - 9x \le 36$

(1)



Leave blank

4.




Figure 1

Figure 1 shows a sketch of the curve C with equation

$$y = \frac{1}{x} + 1, \qquad x \neq 0$$

The curve C crosses the x-axis at the point A.

(a) State the x coordinate of the point A.

(1)

(3)

The curve D has equation $y = x^2(x - 2)$, for all real values of x.

- (b) A copy of Figure 1 is shown on page 7.On this copy, sketch a graph of curve D.Show on the sketch the coordinates of each point where the curve D crosses the coordinate axes.
- (c) Using your sketch, state, giving a reason, the number of real solutions to the equation

$$x^2(x-2) = \frac{1}{x} + 1 \tag{1}$$

5. A sequence of numbers $a_1, a_2, a_3...$ is defined by

$$a_{n+1} = 5a_n - 3, \qquad n \geqslant 1$$

Given that $a_2 = 7$,

(a) find the value of a_1

(2)

(b) Find the value of $\sum_{r=1}^{4} a_r$

(3)



6	(a) Write $\sqrt{80}$ in the form $c\sqrt{5}$, where c is a positive constant.	(1)
	A rectangle R has a length of $(1 + \sqrt{5})$ cm and an area of $\sqrt{80}$ cm ² .	
	(b) Calculate the width of R in cm. Express your answer in the form $p + q\sqrt{5}$, whe and q are integers to be found.	ere p
	and q are integers to be found.	(4)



7. Differentiate with respect to x , giving each answer in its simplest	form.
(a) $(1-2x)^2$	(3)
(b) $\frac{x^5 + 6\sqrt{x}}{2x^2}$	
$\mathcal{L}X$	(4)



Leave	
hlank	

8.	In the year 2000 a shop sold 150 computers. Each year the shop sold 10 more computers than the year before, so that the shop sold 160 computers in 2001, 170 computers in 2002, and so on forming an arithmetic sequence.
	(a) Show that the shop sold 220 computers in 2007. (2)
	(b) Calculate the total number of computers the shop sold from 2000 to 2013 inclusive. (3)
	In the year 2000, the selling price of each computer was £900. The selling price fell by £20 each year, so that in 2001 the selling price was £880, in 2002 the selling price was £860, and so on forming an arithmetic sequence.
	(c) In a particular year, the selling price of each computer in £s was equal to three times the number of computers the shop sold in that year. By forming and solving an equation, find the year in which this occurred.
	(4)





estion 8 continued	





9.




Figure 2

The line l_1 , shown in Figure 2 has equation 2x + 3y = 26

The line l_2 passes through the origin O and is perpendicular to l_1

(a) Find an equation for the line l_2

(4)

The line l_2 intersects the line l_1 at the point C.

Line l_1 crosses the y-axis at the point B as shown in Figure 2.

(b) Find the area of triangle OBC.

Give your answer in the form $\frac{a}{b}$, where a and b are integers to be determined	
\mathcal{D}	(6)



		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		-
		_



10.	A curv	e with	equation	y = f(x)	nasses f	hrough	the	noint (4	25)	1
T O.	11 Cui V	C WILLI	equation	$y = I(\mathcal{N})$	pubbeb t	mougn	tiiC	pomi (٠, ٠	,	/ •

Given that

$$f'(x) = \frac{3}{8}x^2 - 10x^{-\frac{1}{2}} + 1, \quad x > 0$$

(a) find f(x), simplifying each term.

(5)

(b) Find an equation of the normal to the curve at the point (4, 25).

Give your answer in the form ax + by + c = 0, where a, b and c are integers to be found.

(5)

22





11. Given that

$$f(x) = 2x^2 + 8x + 3$$

(a) find the value of the discriminant of f(x).

(2)

(b) Express f(x) in the form $p(x+q)^2 + r$ where p, q and r are integers to be found.

(3)

The line y = 4x + c, where c is a constant, is a tangent to the curve with equation y = f(x).

(c) Calculate the value of c.

(5)



(Total 10 marks)	Q1
	01