

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise A, Question 1

**Question:**

Work out the gradients of these lines:

(a)  $y = -2x + 5$

(b)  $y = -x + 7$

(c)  $y = 4 + 3x$

(d)  $y = \frac{1}{3}x - 2$

(e)  $y = -\frac{2}{3}x$

(f)  $y = \frac{5}{4}x + \frac{2}{3}$

(g)  $2x - 4y + 5 = 0$

(h)  $10x - 5y + 1 = 0$

(i)  $-x + 2y - 4 = 0$

(j)  $-3x + 6y + 7 = 0$

(k)  $4x + 2y - 9 = 0$

(l)  $9x + 6y + 2 = 0$

**Solution:**

(a) Gradient =  $-2$

(b) Gradient =  $-1$

(c) Gradient =  $3$

(d) Gradient =  $\frac{1}{3}$

(e) Gradient =  $-\frac{2}{3}$

(f) Gradient =  $\frac{5}{4}$

(g)  $2x - 4y + 5 = 0$   
 $2x + 5 = 4y$

$$4y = 2x + 5$$

$$y = \frac{2}{4}x + \frac{5}{4}$$

$$y = \frac{1}{2}x + \frac{5}{4}$$

$$\text{Gradient} = \frac{1}{2}$$

$$(h) 10x - 5y + 1 = 0$$

$$10x + 1 = 5y$$

$$5y = 10x + 1$$

$$y = \frac{10}{5}x + \frac{1}{5}$$

$$y = 2x + \frac{1}{5}$$

$$\text{Gradient} = 2$$

$$(i) -x + 2y - 4 = 0$$

$$2y - 4 = x$$

$$2y = x + 4$$

$$y = \frac{1}{2}x + 2$$

$$\text{Gradient} = \frac{1}{2}$$

$$(j) -3x + 6y + 7 = 0$$

$$6y + 7 = 3x$$

$$6y = 3x - 7$$

$$y = \frac{3}{6}x - \frac{7}{6}$$

$$y = \frac{1}{2}x - \frac{7}{6}$$

$$\text{Gradient} = \frac{1}{2}$$

$$(k) 4x + 2y - 9 = 0$$

$$2y - 9 = -4x$$

$$2y = -4x + 9$$

$$y = -\frac{4}{2}x + \frac{9}{2}$$

$$y = -2x + \frac{9}{2}$$

$$\text{Gradient} = -2$$

$$(l) 9x + 6y + 2 = 0$$

$$6y + 2 = -9x$$

$$6y = -9x - 2$$

$$y = -\frac{9}{6}x - \frac{2}{6}$$

$$y = -\frac{3}{2}x - \frac{1}{3}$$

$$\text{Gradient} = -\frac{3}{2}$$



# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise A, Question 2

**Question:**

These lines intercept the y-axis at  $(0, c)$ . Work out the value of  $c$  in each case.

(a)  $y = -x + 4$

(b)  $y = 2x - 5$

(c)  $y = \frac{1}{2}x - \frac{2}{3}$

(d)  $y = -3x$

(e)  $y = \frac{6}{7}x + \frac{7}{5}$

(f)  $y = 2 - 7x$

(g)  $3x - 4y + 8 = 0$

(h)  $4x - 5y - 10 = 0$

(i)  $-2x + y - 9 = 0$

(j)  $7x + 4y + 12 = 0$

(k)  $7x - 2y + 3 = 0$

(l)  $-5x + 4y + 2 = 0$

**Solution:**

(a)  $c = 4$

(b)  $c = -5$

(c)  $c = -\frac{2}{3}$

(d)  $y = -3x$   
 $y = -3x + 0$   
 $c = 0$

(e)  $c = \frac{7}{5}$

(f)  $y = 2 - 7x$   
 $y = -7x + 2$   
 $c = 2$

(g)  $3x - 4y + 8 = 0$

$$3x + 8 = 4y$$

$$4y = 3x + 8$$

$$y = \frac{3}{4}x + \frac{8}{4}$$

$$y = \frac{3}{4}x + 2$$

$$c = 2$$

$$(h) 4x - 5y - 10 = 0$$

$$4x - 10 = 5y$$

$$5y = 4x - 10$$

$$y = \frac{4}{5}x - \frac{10}{5}$$

$$y = \frac{4}{5}x - 2$$

$$c = -2$$

$$(i) -2x + y - 9 = 0$$

$$y - 9 = 2x$$

$$y = 2x + 9$$

$$c = 9$$

$$(j) 7x + 4y + 12 = 0$$

$$4y + 12 = -7x$$

$$4y = -7x - 12$$

$$y = -\frac{7}{4}x - \frac{12}{4}$$

$$y = -\frac{7}{4}x - 3$$

$$c = -3$$

$$(k) 7x - 2y + 3 = 0$$

$$7x + 3 = 2y$$

$$2y = 7x + 3$$

$$y = \frac{7}{2}x + \frac{3}{2}$$

$$c = \frac{3}{2}$$

$$(l) -5x + 4y + 2 = 0$$

$$4y + 2 = 5x$$

$$4y = 5x - 2$$

$$y = \frac{5}{4}x - \frac{2}{4}$$

$$y = \frac{5}{4}x - \frac{1}{2}$$

$$c = -\frac{1}{2}$$

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise A, Question 3

**Question:**

Write these lines in the form  $ax + by + c = 0$ .

(a)  $y = 4x + 3$

(b)  $y = 3x - 2$

(c)  $y = -6x + 7$

(d)  $y = \frac{4}{5}x - 6$

(e)  $y = \frac{5}{3}x + 2$

(f)  $y = \frac{7}{3}x$

(g)  $y = 2x - \frac{4}{7}$

(h)  $y = -3x + \frac{2}{9}$

(i)  $y = -6x - \frac{2}{3}$

(j)  $y = -\frac{1}{3}x + \frac{1}{2}$

(k)  $y = \frac{2}{3}x + \frac{5}{6}$

(l)  $y = \frac{3}{5}x + \frac{1}{2}$

**Solution:**

(a)  $y = 4x + 3$   
 $0 = 4x + 3 - y$   
 $4x + 3 - y = 0$   
 $4x - y + 3 = 0$

(b)  $y = 3x - 2$   
 $0 = 3x - 2 - y$   
 $3x - 2 - y = 0$   
 $3x - y - 2 = 0$

$$\begin{aligned} \text{(c) } y &= -6x + 7 \\ 6x + y &= 7 \\ 6x + y - 7 &= 0 \end{aligned}$$

$$\text{(d) } y = \frac{4}{5}x - 6$$

Multiply each term by 5:

$$\begin{aligned} 5y &= 4x - 30 \\ 0 &= 4x - 30 - 5y \\ 4x - 30 - 5y &= 0 \\ 4x - 5y - 30 &= 0 \end{aligned}$$

$$\text{(e) } y = \frac{5}{3}x + 2$$

Multiply each term by 3:

$$\begin{aligned} 3y &= 5x + 6 \\ 0 &= 5x + 6 - 3y \\ 5x + 6 - 3y &= 0 \\ 5x - 3y + 6 &= 0 \end{aligned}$$

$$\text{(f) } y = \frac{7}{3}x$$

Multiply each term by 3:

$$\begin{aligned} 3y &= 7x \\ 0 &= 7x - 3y \\ 7x - 3y &= 0 \end{aligned}$$

$$\text{(g) } y = 2x - \frac{4}{7}$$

Multiply each term by 7:

$$\begin{aligned} 7y &= 14x - 4 \\ 0 &= 14x - 4 - 7y \\ 14x - 4 - 7y &= 0 \\ 14x - 7y - 4 &= 0 \end{aligned}$$

$$\text{(h) } y = -3x + \frac{2}{9}$$

Multiply each term by 9:

$$\begin{aligned} 9y &= -27x + 2 \\ 27x + 9y &= 2 \\ 27x + 9y - 2 &= 0 \end{aligned}$$

$$\text{(i) } y = -6x - \frac{2}{3}$$

Multiply each term by 3:

$$\begin{aligned} 3y &= -18x - 2 \\ 18x + 3y &= -2 \\ 18x + 3y + 2 &= 0 \end{aligned}$$

$$\text{(j) } y = -\frac{1}{3}x + \frac{1}{2}$$

Multiply each term by 6 (6 is divisible by both 3 and 2):

$$\begin{aligned} 6y &= -2x + 3 \\ 2x + 6y &= 3 \\ 2x + 6y - 3 &= 0 \end{aligned}$$

$$\text{(k) } y = \frac{2}{3}x + \frac{5}{6}$$

Multiply each term by 6 (6 is divisible by both 3 and 6):

$$6y = 4x + 5$$

$$0 = 4x + 5 - 6y$$

$$4x + 5 - 6y = 0$$

$$4x - 6y + 5 = 0$$

$$(1) y = \frac{3}{5}x + \frac{1}{2}$$

Multiply each term by 10 (10 is divisible by both 5 and 2):

$$10y = 6x + 5$$

$$0 = 6x + 5 - 10y$$

$$6x + 5 - 10y = 0$$

$$6x - 10y + 5 = 0$$



# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the $(x, y)$ plane

#### Exercise A, Question 4

**Question:**

A line is parallel to the line  $y = 5x + 8$  and its intercept on the  $y$ -axis is  $(0, 3)$ . Write down the equation of the line.

**Solution:**

The line is parallel to  $y = 5x + 8$ , so  $m = 5$ .

The line intercepts the  $y$ -axis at  $(0, 3)$ , so  $c = 3$ .

Using  $y = mx + c$ , the equation of the line is  $y = 5x + 3$ .

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise A, Question 5

#### Question:

A line is parallel to the line  $y = -\frac{2}{5}x + 1$  and its intercept on the y-axis is  $(0, -4)$ . Work out the equation of the line. Write your answer in the form  $ax + by + c = 0$ , where  $a$ ,  $b$  and  $c$  are integers.

#### Solution:

The line is parallel to  $y = -\frac{2}{5}x + 1$ , so  $m = -\frac{2}{5}$ .

The line intercepts the y-axis at  $(0, -4)$ , so  $c = -4$ .  
Using  $y = mx + c$ , the equation of the line is

$$y = -\frac{2}{5}x - 4$$

Multiply each term by 5:

$$5y = -2x - 20$$

$$2x + 5y = -20$$

$$2x + 5y + 20 = 0$$

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise A, Question 6

#### Question:

A line is parallel to the line  $3x + 6y + 11 = 0$  and its intercept on the y-axis is  $(0, 7)$ . Write down the equation of the line.

#### Solution:

$$3x + 6y + 11 = 0$$

$$6y + 11 = -3x$$

$$6y = -3x - 11$$

$$y = -\frac{3}{6}x - \frac{11}{6}$$

$$y = -\frac{1}{2}x - \frac{11}{6}$$

The line is parallel to  $y = -\frac{1}{2}x - \frac{11}{6}$ , so  $m = -\frac{1}{2}$ .

The line intercepts the y-axis at  $(0, 7)$ , so  $c = 7$ .

Using  $y = mx + c$ , the equation of the line is  $y = -\frac{1}{2}x + 7$

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise A, Question 7

**Question:**

A line is parallel to the line  $2x - 3y - 1 = 0$  and it passes through the point  $(0, 0)$ . Write down the equation of the line.

**Solution:**

$$2x - 3y - 1 = 0$$

$$2x - 1 = 3y$$

$$3y = 2x - 1$$

$$y = \frac{2}{3}x - \frac{1}{3}$$

The line is parallel to  $y = \frac{2}{3}x - \frac{1}{3}$ , so  $m = \frac{2}{3}$ .

The intercept on the y-axis is  $(0, 0)$ , so  $c = 0$ .

Using  $y = mx + c$ :

$$y = \frac{2}{3}x + 0$$

$$y = \frac{2}{3}x$$

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

Coordinate geometry in the  $(x, y)$  plane  
Exercise A, Question 8

**Question:**

The line  $y = 6x - 18$  meets the  $x$ -axis at the point  $P$ . Work out the coordinates of  $P$ .

**Solution:**

$$y = 6x - 18$$

Substitute  $y = 0$ :

$$6x - 18 = 0$$

$$6x = 18$$

$$x = 3$$

The line meets the  $x$ -axis at  $P ( 3 , 0 )$  .

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

Coordinate geometry in the  $(x, y)$  plane  
Exercise A, Question 9

**Question:**

The line  $3x + 2y - 5 = 0$  meets the  $x$ -axis at the point  $R$ . Work out the coordinates of  $R$ .

**Solution:**

$$3x + 2y - 5 = 0$$

Substitute  $y = 0$ :

$$3x + 2(0) - 5 = 0$$

$$3x - 5 = 0$$

$$3x = 5$$

$$x = \frac{5}{3}$$

The line meets the  $x$ -axis at  $R \left( \frac{5}{3}, 0 \right)$ .

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise A, Question 10

**Question:**

The line  $5x - 4y + 20 = 0$  meets the  $y$ -axis at the point  $A$  and the  $x$ -axis at the point  $B$ . Work out the coordinates of the points  $A$  and  $B$ .

**Solution:**

$$5x - 4y + 20 = 0$$

Substitute  $x = 0$ :

$$5(0) - 4y + 20 = 0$$
$$-4y + 20 = 0$$

$$20 = 4y$$

$$4y = 20$$

$$y = 5$$

The line meets the  $y$ -axis at  $A(0, 5)$ .

Substitute  $y = 0$ :

$$5x - 4(0) + 20 = 0$$

$$5x + 20 = 0$$

$$5x = -20$$

$$x = -4$$

The line meets the  $x$ -axis at  $B(-4, 0)$ .

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise B, Question 1

#### Question:

Work out the gradient of the line joining these pairs of points:

(a)  $(4, 2), (6, 3)$

(b)  $(-1, 3), (5, 4)$

(c)  $(-4, 5), (1, 2)$

(d)  $(2, -3), (6, 5)$

(e)  $(-3, 4), (7, -6)$

(f)  $(-12, 3), (-2, 8)$

(g)  $(-2, -4), (10, 2)$

(h)  $\left(\frac{1}{2}, 2\right), \left(\frac{3}{4}, 4\right)$

(i)  $\left(\frac{1}{4}, \frac{1}{2}\right), \left(\frac{1}{2}, \frac{2}{3}\right)$

(j)  $(-2.4, 9.6), (0, 0)$

(k)  $(1.3, -2.2), (8.8, -4.7)$

(l)  $(0, 5a), (10a, 0)$

(m)  $(3b, -2b), (7b, 2b)$

(n)  $(p, p^2), (q, q^2)$

#### Solution:

(a)  $(x_1, y_1) = (4, 2), (x_2, y_2) = (6, 3)$

$$\frac{y_2 - y_1}{x_2 - x_1} = \frac{3 - 2}{6 - 4} = \frac{1}{2}$$

(b)  $(x_1, y_1) = (-1, 3), (x_2, y_2) = (5, 4)$

$$\frac{y_2 - y_1}{x_2 - x_1} = \frac{4 - 3}{5 - (-1)} = \frac{1}{6}$$

(c)  $(x_1, y_1) = (-4, 5), (x_2, y_2) = (1, 2)$



$$\frac{y_2 - y_1}{x_2 - x_1} = \frac{2 - 5}{1 - (-4)} = -\frac{3}{5}$$

(d)  $(x_1, y_1) = (2, -3)$ ,  $(x_2, y_2) = (6, 5)$

$$\frac{y_2 - y_1}{x_2 - x_1} = \frac{5 - (-3)}{6 - 2} = \frac{8}{4} = 2$$

(e)  $(x_1, y_1) = (-3, 4)$ ,  $(x_2, y_2) = (7, -6)$

$$\frac{y_2 - y_1}{x_2 - x_1} = \frac{-6 - 4}{7 - (-3)} = -\frac{10}{10} = -1$$

(f)  $(x_1, y_1) = (-12, 3)$ ,  $(x_2, y_2) = (-2, 8)$

$$\frac{y_2 - y_1}{x_2 - x_1} = \frac{8 - 3}{-2 - (-12)} = \frac{5}{-2 + 12} = \frac{5}{10} = \frac{1}{2}$$

(g)  $(x_1, y_1) = (-2, -4)$ ,  $(x_2, y_2) = (10, 2)$

$$\frac{y_2 - y_1}{x_2 - x_1} = \frac{2 - (-4)}{10 - (-2)} = \frac{6}{12} = \frac{1}{2}$$

(h)  $\left( \begin{matrix} x_1 \\ y_1 \end{matrix} \right) = \left( \begin{matrix} \frac{1}{2} \\ 2 \end{matrix} \right)$ ,  $\left( \begin{matrix} x_2 \\ y_2 \end{matrix} \right) = \left( \begin{matrix} \frac{3}{4} \\ 4 \end{matrix} \right)$

$$\frac{y_2 - y_1}{x_2 - x_1} = \frac{4 - 2}{\frac{3}{4} - \frac{1}{2}} = \frac{2}{\frac{1}{4}} = 8$$

(i)  $\left( \begin{matrix} x_1 \\ y_1 \end{matrix} \right) = \left( \begin{matrix} \frac{1}{4} \\ \frac{1}{2} \end{matrix} \right)$ ,  $\left( \begin{matrix} x_2 \\ y_2 \end{matrix} \right) = \left( \begin{matrix} \frac{1}{2} \\ \frac{2}{3} \end{matrix} \right)$

$$\frac{y_2 - y_1}{x_2 - x_1} = \frac{\frac{2}{3} - \frac{1}{2}}{\frac{1}{2} - \frac{1}{4}} = \frac{\frac{1}{6}}{\frac{1}{4}} = \frac{2}{3}$$

(j)  $(x_1, y_1) = (-2.4, 9.6)$ ,  $(x_2, y_2) = (0, 0)$

$$\frac{y_2 - y_1}{x_2 - x_1} = \frac{0 - 9.6}{0 - (-2.4)} = \frac{-9.6}{2.4} = -4$$

(k)  $(x_1, y_1) = (1.3, -2.2)$ ,  $(x_2, y_2) = (8.8, -4.7)$

$$\frac{y_2 - y_1}{x_2 - x_1} = \frac{-4.7 - (-2.2)}{8.8 - 1.3} = \frac{-2.5}{7.5} = -\frac{1}{3}$$

(l)  $(x_1, y_1) = (0, 5a)$ ,  $(x_2, y_2) = (10a, 0)$

$$\frac{y_2 - y_1}{x_2 - x_1} = \frac{0 - 5a}{10a - 0} = \frac{-5a}{10a} = \frac{-5}{10} = -\frac{1}{2}$$

(m)  $(x_1, y_1) = (3b, -2b)$ ,  $(x_2, y_2) = (7b, 2b)$

$$\frac{y_2 - y_1}{x_2 - x_1} = \frac{2b - (-2b)}{7b - 3b} = \frac{4b}{4b} = 1$$

$$(n) (x_1, y_1) = (p, p^2), (x_2, y_2) = (q, q^2)$$

$$\frac{y_2 - y_1}{x_2 - x_1} = \frac{q^2 - p^2}{q - p} = \frac{(q - p)(q + p)}{q - p} = q + p$$

© Pearson Education Ltd 2008

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise B, Question 2

**Question:**

The line joining  $(3, -5)$  to  $(6, a)$  has gradient 4. Work out the value of  $a$ .

**Solution:**

$$(x_1, y_1) = (3, -5), (x_2, y_2) = (6, a)$$

$$\frac{y_2 - y_1}{x_2 - x_1} = 4$$

$$\text{so } \frac{a - (-5)}{6 - 3} = 4$$

$$\Rightarrow \frac{a + 5}{3} = 4$$

$$\Rightarrow a + 5 = 12$$

$$\Rightarrow a = 7$$

© Pearson Education Ltd 2008

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

Coordinate geometry in the (x, y) plane  
Exercise B, Question 3

**Question:**

The line joining  $(5, b)$  to  $(8, 3)$  has gradient  $-3$ . Work out the value of  $b$ .

**Solution:**

$$(x_1, y_1) = (5, b), (x_2, y_2) = (8, 3)$$

$$\frac{3-b}{8-5} = -3$$

$$\frac{3-b}{3} = -3$$

$$3-b = -9$$

$$b = 12$$

© Pearson Education Ltd 2008

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

Coordinate geometry in the (x, y) plane  
Exercise B, Question 4

**Question:**

The line joining  $(c, 4)$  to  $(7, 6)$  has gradient  $\frac{3}{4}$ . Work out the value of  $c$ .

**Solution:**

$$(x_1, y_1) = (c, 4), (x_2, y_2) = (7, 6)$$

$$\frac{6-4}{7-c} = \frac{3}{4}$$

$$\frac{2}{7-c} = \frac{3}{4}$$

$$2 = \frac{3}{4} (7 - c)$$

$$8 = 3(7 - c)$$

$$8 = 21 - 3c$$

$$-13 = -3c$$

$$c = \frac{-13}{-3} = \frac{13}{3} = 4\frac{1}{3}$$

© Pearson Education Ltd 2008

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

Coordinate geometry in the (x, y) plane  
Exercise B, Question 5

**Question:**

The line joining  $(-1, 2b)$  to  $(1, 4)$  has gradient  $-\frac{1}{4}$ . Work out the value of  $b$ .

**Solution:**

$$(x_1, y_1) = (-1, 2b), (x_2, y_2) = (1, 4)$$

$$\frac{4 - 2b}{1 - (-1)} = -\frac{1}{4}$$

$$\frac{4 - 2b}{2} = -\frac{1}{4}$$

$$2 - b = -\frac{1}{4}$$

$$2\frac{1}{4} - b = 0$$

$$b = 2\frac{1}{4}$$

© Pearson Education Ltd 2008

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

Coordinate geometry in the (x, y) plane  
Exercise B, Question 6

**Question:**

The line joining  $(-3, -2)$  to  $(2e, 5)$  has gradient 2. Work out the value of  $e$ .

**Solution:**

$$(x_1, y_1) = (-3, -2), (x_2, y_2) = (2e, 5)$$

$$\frac{5 - (-2)}{2e - (-3)} = 2$$

$$\frac{7}{2e + 3} = 2$$

$$7 = 2(2e + 3)$$

$$7 = 4e + 6$$

$$4e = 1$$

$$e = \frac{1}{4}$$

© Pearson Education Ltd 2008

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

Coordinate geometry in the (x, y) plane  
Exercise B, Question 7

**Question:**

The line joining  $(7, 2)$  to  $(f, 3f)$  has gradient 4. Work out the value of  $f$ .

**Solution:**

$$(x_1, y_1) = (7, 2), (x_2, y_2) = (f, 3f)$$

$$\frac{3f-2}{f-7} = 4$$

$$3f - 2 = 4(f - 7)$$

$$3f - 2 = 4f - 28$$

$$-2 = f - 28$$

$$28 - 2 = f$$

$$f = 26$$

© Pearson Education Ltd 2008



# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

Coordinate geometry in the (x, y) plane  
Exercise B, Question 8

**Question:**

The line joining  $(3, -4)$  to  $(-g, 2g)$  has gradient  $-3$ . Work out the value of  $g$ .

**Solution:**

$$(x_1, y_1) = (3, -4), (x_2, y_2) = (-g, 2g)$$

$$\frac{2g - (-4)}{-g - 3} = -3$$

$$\frac{2g + 4}{-g - 3} = -3$$

$$2g + 4 = -3(-g - 3)$$

$$2g + 4 = 3g + 9$$

$$4 = g + 9$$

$$g = -5$$

© Pearson Education Ltd 2008

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise B, Question 9

#### Question:

Show that the points  $A(2, 3)$ ,  $B(4, 4)$ ,  $C(10, 7)$  can be joined by a straight line. (Hint: Find the gradient of the lines joining the points: **i**  $A$  and  $B$  and **ii**  $A$  and  $C$ .)

#### Solution:

The gradient of  $AB$  is  $\frac{4-3}{4-2} = \frac{1}{2}$

The gradient of  $AC$  is  $\frac{7-3}{10-2} = \frac{4}{8} = \frac{1}{2}$

The gradients are equal so the points can be joined by a straight line.

© Pearson Education Ltd 2008

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

Coordinate geometry in the (x, y) plane  
Exercise B, Question 10

**Question:**

Show that the points  $(-2a, 5a)$ ,  $(0, 4a)$ ,  $(6a, a)$  are collinear (i.e. on the same straight line).

**Solution:**

The gradient of the line joining  $(-2a, 5a)$  and  $(0, 4a)$  is

$$\frac{4a - 5a}{0 - (-2a)} = \frac{-a}{2a} = \frac{-1}{2}$$

The gradient of the line joining  $(-2a, 5a)$  and  $(6a, a)$  is

$$\frac{a - 5a}{6a - (-2a)} = \frac{-4a}{8a} = \frac{-4}{8} = \frac{-1}{2}$$

The gradients are equal so the points can be joined by a straight line (i.e. they are collinear).

© Pearson Education Ltd 2008

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise C, Question 1

#### Question:

Find the equation of the line with gradient  $m$  that passes through the point  $(x_1, y_1)$  when:

(a)  $m = 2$  and  $(x_1, y_1) = (2, 5)$

(b)  $m = 3$  and  $(x_1, y_1) = (-2, 1)$

(c)  $m = -1$  and  $(x_1, y_1) = (3, -6)$

(d)  $m = -4$  and  $(x_1, y_1) = (-2, -3)$

(e)  $m = \frac{1}{2}$  and  $(x_1, y_1) = (-4, 10)$

(f)  $m = -\frac{2}{3}$  and  $(x_1, y_1) = (-6, -1)$

(g)  $m = 2$  and  $(x_1, y_1) = (a, 2a)$

(h)  $m = -\frac{1}{2}$  and  $(x_1, y_1) = (-2b, 3b)$

#### Solution:

(a)  $y - y_1 = m(x - x_1)$

$$y - 5 = 2(x - 2)$$

$$y - 5 = 2x - 4$$

$$y = 2x + 1$$

(b)  $y - y_1 = m(x - x_1)$

$$y - 1 = 3[x - (-2)]$$

$$y - 1 = 3(x + 2)$$

$$y - 1 = 3x + 6$$

$$y = 3x + 7$$

(c)  $y - y_1 = m(x - x_1)$

$$y - (-6) = -1(x - 3)$$

$$y + 6 = -x + 3$$

$$y = -x - 3$$

(d)  $y - y_1 = m(x - x_1)$

$$y - (-3) = -4[x - (-2)]$$

$$y + 3 = -4(x + 2)$$

$$y + 3 = -4x - 8$$

$$y = -4x - 11$$

(e)  $y - y_1 = m(x - x_1)$

$$y - 10 = \frac{1}{2} \left[ x - \left( -4 \right) \right]$$

$$y - 10 = \frac{1}{2} \left( x + 4 \right)$$

$$y - 10 = \frac{1}{2}x + 2$$

$$y = \frac{1}{2}x + 12$$

$$(f) y - y_1 = m ( x - x_1 )$$

$$y - \left( -1 \right) = -\frac{2}{3} \left[ x - \left( -6 \right) \right]$$

$$y + 1 = -\frac{2}{3} \left( x + 6 \right)$$

$$y + 1 = -\frac{2}{3}x - 4$$

$$y = -\frac{2}{3}x - 5$$

$$(g) y - y_1 = m ( x - x_1 )$$

$$y - 2a = 2 ( x - a )$$

$$y - 2a = 2x - 2a$$

$$y = 2x$$

$$(h) y - y_1 = m ( x - x_1 )$$

$$y - 3b = -\frac{1}{2} \left[ x - \left( -2b \right) \right]$$

$$y - 3b = -\frac{1}{2} \left( x + 2b \right)$$

$$y - 3b = -\frac{1}{2}x - b$$

$$y = -\frac{1}{2}x - b + 3b$$

$$y = -\frac{1}{2}x + 2b$$

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise C, Question 2

**Question:**

The line  $y = 4x - 8$  meets the  $x$ -axis at the point  $A$ . Find the equation of the line with gradient 3 that passes through the point  $A$ .

**Solution:**

$$y = 4x - 8$$

Substitute  $y = 0$ :

$$4x - 8 = 0$$

$$4x = 8$$

$$x = 2$$

So  $A$  has coordinates  $(2, 0)$ .

$$y - y_1 = m(x - x_1)$$

$$y - 0 = 3(x - 2)$$

$$y = 3x - 6$$

The equation of the line is  $y = 3x - 6$ .

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise C, Question 3

**Question:**

The line  $y = -2x + 8$  meets the y-axis at the point  $B$ . Find the equation of the line with gradient 2 that passes through the point  $B$ .

**Solution:**

$$y = -2x + 8$$

Substitute  $x = 0$ :

$$y = -2(0) + 8$$

$$y = 8$$

So  $B$  has coordinates  $(0, 8)$ .

$$y - y_1 = m(x - x_1)$$

$$y - 8 = 2(x - 0)$$

$$y - 8 = 2x$$

$$y = 2x + 8$$

The equation of the line is  $y = 2x + 8$ .

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise C, Question 4

#### Question:

The line  $y = \frac{1}{2}x + 6$  meets the  $x$ -axis at the point  $C$ . Find the equation of the line with gradient  $\frac{2}{3}$  that passes through the point  $C$ . Write your answer in the form  $ax + by + c = 0$ , where  $a$ ,  $b$  and  $c$  are integers.

#### Solution:

$$y = \frac{1}{2}x + 6$$

Substitute  $y = 0$ :

$$\frac{1}{2}x + 6 = 0$$

$$\frac{1}{2}x = -6$$

$$x = -12$$

So  $C$  has coordinates  $(-12, 0)$ .

$$y - y_1 = m(x - x_1)$$

$$y - 0 = \frac{2}{3} \left[ x - \left( -12 \right) \right]$$

$$y = \frac{2}{3} \left( x + 12 \right)$$

$$y = \frac{2}{3}x + 8$$

Multiply each term by 3:

$$3y = 2x + 24$$

$$0 = 2x + 24 - 3y$$

$$2x - 3y + 24 = 0$$

The equation of the line is  $2x - 3y + 24 = 0$ .



# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise C, Question 5

**Question:**

The line  $y = \frac{1}{4}x + 2$  meets the y-axis at the point  $B$ . The point  $C$  has coordinates  $(-5, 3)$ . Find the gradient of the line joining the points  $B$  and  $C$ .

**Solution:**

$$y = \frac{1}{4}x + 2$$

Substitute  $x = 0$ :

$$y = \frac{1}{4} \left( 0 \right) + 2$$

$$y = 2$$

So  $B$  has coordinates  $(0, 2)$ .

$$\frac{y_2 - y_1}{x_2 - x_1} = \frac{3 - 2}{-5 - 0} = \frac{1}{-5} = -\frac{1}{5}$$

The gradient of the line joining  $B$  and  $C$  is  $-\frac{1}{5}$ .

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise C, Question 6

**Question:**

The lines  $y = x$  and  $y = 2x - 5$  intersect at the point A. Find the equation of the line with gradient  $\frac{2}{5}$  that passes through the point A. (Hint: Solve  $y = x$  and  $y = 2x - 5$  simultaneously.)

**Solution:**

Substitute  $y = x$ :

$$x = 2x - 5$$

$$0 = x - 5$$

$$x = 5$$

$$y = x$$

Substitute  $x = 5$ :

$$y = 5$$

The coordinates of A are ( 5 , 5 ) .

$$y - y_1 = m ( x - x_1 )$$

$$y - 5 = \frac{2}{5} \left( x - 5 \right)$$

$$y - 5 = \frac{2}{5}x - 2$$

$$y = \frac{2}{5}x + 3$$

The equation of the line is  $y = \frac{2}{5}x + 3$ .

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise C, Question 7

#### Question:

The lines  $y = 4x - 10$  and  $y = x - 1$  intersect at the point  $T$ . Find the equation of the line with gradient  $-\frac{2}{3}$  that passes through the point  $T$ . Write your answer in the form  $ax + by + c = 0$ , where  $a$ ,  $b$  and  $c$  are integers.

#### Solution:

Substitute  $y = x - 1$ :

$$x - 1 = 4x - 10$$

$$-1 = 3x - 10$$

$$9 = 3x$$

$$x = 3$$

$$y = x - 1$$

Substitute  $x = 3$ :

$$y = 3 - 1 = 2$$

The coordinates of  $T$  are  $(3, 2)$ .

$$y - y_1 = m(x - x_1)$$

$$y - 2 = -\frac{2}{3} \left( x - 3 \right)$$

$$y - 2 = -\frac{2}{3}x + 2$$

$$\frac{2}{3}x + y - 2 = 2$$

$$\frac{2}{3}x + y - 4 = 0$$

$$2x + 3y - 12 = 0$$

The equation of the line is  $2x + 3y - 12 = 0$ .

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise C, Question 8

#### Question:

The line  $p$  has gradient  $\frac{2}{3}$  and passes through the point  $(6, -12)$ . The line  $q$  has gradient  $-1$  and passes through the point  $(5, 5)$ . The line  $p$  meets the  $y$ -axis at  $A$  and the line  $q$  meets the  $x$ -axis at  $B$ . Work out the gradient of the line joining the points  $A$  and  $B$ .

#### Solution:

The equation of  $p$  is

$$y - \begin{pmatrix} -12 \end{pmatrix} = \frac{2}{3} \begin{pmatrix} x - 6 \end{pmatrix}$$

$$y + 12 = \frac{2}{3}x - 4$$

$$y = \frac{2}{3}x - 16$$

The equation of  $q$  is

$$y - 5 = -1(x - 5)$$

$$y - 5 = -x + 5$$

$$y = -x + 10$$

For the coordinates of  $A$  substitute  $x = 0$  into

$$y = \frac{2}{3}x - 16$$

$$y = \frac{2}{3} \begin{pmatrix} 0 \end{pmatrix} - 16$$

$$y = -16$$

Coordinates are  $A(0, -16)$

For the coordinates of  $B$  substitute  $y = 0$  into

$$y = -x + 10$$

$$0 = -x + 10$$

$$x = 10$$

Coordinates are  $B(10, 0)$

Gradient of  $AB$  is

$$\frac{y_2 - y_1}{x_2 - x_1} = \frac{-16 - 0}{0 - 10} = \frac{-16}{-10} = \frac{8}{5}$$

The gradient of the line joining  $A$  and  $B$  is  $\frac{8}{5}$ .

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise C, Question 9

#### Question:

The line  $y = -2x + 6$  meets the  $x$ -axis at the point  $P$ . The line  $y = \frac{3}{2}x - 4$  meets the  $y$ -axis at the point  $Q$ . Find the equation of the line joining the points  $P$  and  $Q$ . (Hint: First work out the gradient of the line joining the points  $P$  and  $Q$ .)

#### Solution:

$$y = -2x + 6$$

Substitute  $y = 0$ :

$$0 = -2x + 6$$

$$2x = 6$$

$$x = 3$$

$P$  has coordinates  $(3, 0)$ .

$$y = \frac{3}{2}x - 4$$

Substitute  $x = 0$ :

$$y = \frac{3}{2} \begin{pmatrix} 0 \\ 0 \end{pmatrix} - 4$$

$$y = -4$$

$Q$  has coordinates  $(0, -4)$

Gradient of  $PQ$  is

$$\frac{y_2 - y_1}{x_2 - x_1} = \frac{0 - (-4)}{3 - 0} = \frac{4}{3}$$

Equation of  $PQ$  is

$$y - y_1 = m(x - x_1)$$

Substitute  $(3, 0)$ :

$$y - 0 = \frac{4}{3} \begin{pmatrix} x - 3 \end{pmatrix}$$

$$y = \frac{4}{3}x - 4$$

The equation of the line through  $P$  and  $Q$  is  $y = \frac{4}{3}x - 4$ .

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise C, Question 10

#### Question:

The line  $y = 3x - 5$  meets the  $x$ -axis at the point  $M$ . The line  $y = -\frac{2}{3}x + \frac{2}{3}$  meets the  $y$ -axis at the point  $N$ . Find the equation of the line joining the points  $M$  and  $N$ . Write your answer in the form  $ax + by + c = 0$ , where  $a$ ,  $b$  and  $c$  are integers.

#### Solution:

$$y = 3x - 5$$

Substitute  $y = 0$ :

$$3x - 5 = 0$$

$$3x = 5$$

$$x = \frac{5}{3}$$

$M$  has coordinates  $\left(\frac{5}{3}, 0\right)$ .

$$y = -\frac{2}{3}x + \frac{2}{3}$$

Substitute  $x = 0$ :

$$y = -\frac{2}{3}\left(0\right) + \frac{2}{3} = \frac{2}{3}$$

$N$  has coordinates  $\left(0, \frac{2}{3}\right)$ .

Gradient of  $MN$  is

$$\frac{y_2 - y_1}{x_2 - x_1} = \frac{0 - \frac{2}{3}}{\frac{5}{3} - 0} = \frac{-\frac{2}{3}}{\frac{5}{3}} = -\frac{2}{5}$$

Equation of  $MN$  is

$$y - y_1 = m(x - x_1)$$

Substitute  $\left(\frac{5}{3}, 0\right)$ :

$$y - 0 = -\frac{2}{5}\left(x - \frac{5}{3}\right)$$

$$y = -\frac{2}{5}x + \frac{2}{3}$$

Multiply each term by 15:

$$15y = -6x + 10$$

$$6x + 15y = 10$$

$$6x + 15y - 10 = 0$$

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise D, Question 1

#### Question:

Find the equation of the line that passes through these pairs of points:

(a)  $(2, 4)$  and  $(3, 8)$

(b)  $(0, 2)$  and  $(3, 5)$

(c)  $(-2, 0)$  and  $(2, 8)$

(d)  $(5, -3)$  and  $(7, 5)$

(e)  $(3, -1)$  and  $(7, 3)$

(f)  $(-4, -1)$  and  $(6, 4)$

(g)  $(-1, -5)$  and  $(-3, 3)$

(h)  $(-4, -1)$  and  $(-3, -9)$

(i)  $\left(\frac{1}{3}, \frac{2}{5}\right)$  and  $\left(\frac{2}{3}, \frac{4}{5}\right)$

(j)  $\left(-\frac{3}{4}, \frac{1}{7}\right)$  and  $\left(\frac{1}{4}, \frac{3}{7}\right)$

#### Solution:

(a)  $(x_1, y_1) = (2, 4)$ ,  $(x_2, y_2) = (3, 8)$

$$\frac{y - y_1}{y_2 - y_1} = \frac{x - x_1}{x_2 - x_1}$$

$$\frac{y - 4}{8 - 4} = \frac{x - 2}{3 - 2}$$

$$\frac{y - 4}{4} = \frac{x - 2}{1}$$

$$\frac{y - 4}{4} = x - 2$$

Multiply each side by 4:

$$4 \times \frac{y - 4}{4} = 4 \left( x - 2 \right)$$

$$y - 4 = 4(x - 2)$$

$$y - 4 = 4x - 8$$

$$y = 4x - 4$$

(b)  $(x_1, y_1) = (0, 2)$ ,  $(x_2, y_2) = (3, 5)$

$$\frac{y - y_1}{y_2 - y_1} = \frac{x - x_1}{x_2 - x_1}$$

$$\frac{y - 2}{5 - 2} = \frac{x - 0}{3 - 0}$$

$$\frac{y - 2}{3} = \frac{x}{3}$$

Multiply each side by 3:

$$3 \times \frac{y - 2}{3} = 3 \times \frac{x}{3}$$

$$y - 2 = x$$

$$y = x + 2$$

(c)  $(x_1, y_1) = (-2, 0)$ ,  $(x_2, y_2) = (2, 8)$

$$\frac{y - y_1}{y_2 - y_1} = \frac{x - x_1}{x_2 - x_1}$$

$$\frac{y - 0}{8 - 0} = \frac{x - (-2)}{2 - (-2)}$$

$$\frac{y}{8} = \frac{x + 2}{4}$$

Multiply each side by 8:

$$8 \times \frac{y}{8} = 8 \times \frac{x + 2}{4}$$

$$y = 2(x + 2)$$

$$y = 2x + 4$$

(d)  $(x_1, y_1) = (5, -3)$ ,  $(x_2, y_2) = (7, 5)$

$$\frac{y - y_1}{y_2 - y_1} = \frac{x - x_1}{x_2 - x_1}$$

$$\frac{y - (-3)}{5 - (-3)} = \frac{x - 5}{7 - 5}$$

$$\frac{y + 3}{8} = \frac{x - 5}{2}$$

Multiply each side by 8:

$$8 \times \frac{y + 3}{8} = 8 \times \frac{x - 5}{2}$$

$$y + 3 = 4(x - 5)$$

$$y + 3 = 4x - 20$$

$$y = 4x - 23$$

(e)  $(x_1, y_1) = (3, -1)$ ,  $(x_2, y_2) = (7, 3)$

$$\frac{y - y_1}{y_2 - y_1} = \frac{x - x_1}{x_2 - x_1}$$

$$\frac{y - (-1)}{3 - (-1)} = \frac{x - 3}{7 - 3}$$

$$\frac{y + 1}{4} = \frac{x - 3}{4}$$

Multiply each side by 4:

$$y + 1 = x - 3$$

$$y = x - 4$$

(f)  $(x_1, y_1) = (-4, -1)$ ,  $(x_2, y_2) = (6, 4)$

$$\frac{y - y_1}{y_2 - y_1} = \frac{x - x_1}{x_2 - x_1}$$



$$\frac{y - (-1)}{4 - (-1)} = \frac{x - (-4)}{6 - (-4)}$$

$$\frac{y+1}{5} = \frac{x+4}{10}$$

Multiply each side by 10:

$$2(y+1) = x+4$$

$$2y+2 = x+4$$

$$2y = x+2$$

Divide each term by 2:

$$y = \frac{1}{2}x + 1$$

(g)  $(x_1, y_1) = (-1, -5)$ ,  $(x_2, y_2) = (-3, 3)$

$$\frac{y-y_1}{y_2-y_1} = \frac{x-x_1}{x_2-x_1}$$

$$\frac{y - (-5)}{3 - (-5)} = \frac{x - (-1)}{-3 - (-1)}$$

$$\frac{y+5}{8} = \frac{x+1}{-2}$$

Multiply each side by 8:

$$y+5 = -4(x+1) \text{ (Note: } \frac{8}{-2} = -4)$$

$$y+5 = -4x-4$$

$$y = -4x-9$$

(h)  $(x_1, y_1) = (-4, -1)$ ,  $(x_2, y_2) = (-3, -9)$

$$\frac{y-y_1}{y_2-y_1} = \frac{x-x_1}{x_2-x_1}$$

$$\frac{y - (-1)}{-9 - (-1)} = \frac{x - (-4)}{-3 - (-4)}$$

$$\frac{y+1}{-8} = \frac{x+4}{1}$$

Multiply each side by  $-8$ :

$$y+1 = -8(x+4)$$

$$y+1 = -8x-32$$

$$y = -8x-33$$

(i)  $\left( x_1, y_1 \right) = \left( \frac{1}{3}, \frac{2}{5} \right)$ ,  $\left( x_2, y_2 \right) = \left( \frac{2}{3}, \frac{4}{5} \right)$

$$\frac{y-y_1}{y_2-y_1} = \frac{x-x_1}{x_2-x_1}$$

$$\frac{y - \frac{2}{5}}{\frac{4}{5} - \frac{2}{5}} = \frac{x - \frac{1}{3}}{\frac{2}{3} - \frac{1}{3}}$$

$$\frac{y - \frac{2}{5}}{\frac{2}{5}} = \frac{x - \frac{1}{3}}{\frac{1}{3}}$$

$$\frac{5}{2} \left( y - \frac{2}{5} \right) = 3 \left( x - \frac{1}{3} \right) \quad (\text{Note: } \frac{1}{\frac{2}{5}} = \frac{5}{2} \text{ and } \frac{1}{\frac{1}{3}} = 3)$$

$$\frac{5}{2}y - 1 = 3x - 1$$

$$\frac{5}{2}y = 3x$$

$$5y = 6x$$

$$y = \frac{6}{5}x$$

$$(i) \left( x_1, y_1 \right) = \left( \frac{-3}{4}, \frac{1}{7} \right), \left( x_2, y_2 \right) = \left( \frac{1}{4}, \frac{3}{7} \right)$$

$$\frac{y - y_1}{y_2 - y_1} = \frac{x - x_1}{x_2 - x_1}$$

$$\frac{y - \frac{1}{7}}{\frac{3}{7} - \frac{1}{7}} = \frac{x - \left( -\frac{3}{4} \right)}{\frac{1}{4} - \left( -\frac{3}{4} \right)}$$

$$\frac{y - \frac{1}{7}}{\frac{2}{7}} = \frac{x + \frac{3}{4}}{1}$$

Multiply each side by  $\frac{2}{7}$ :

$$y - \frac{1}{7} = \frac{2}{7} \left( x + \frac{3}{4} \right)$$

$$y - \frac{1}{7} = \frac{2}{7}x + \frac{3}{14}$$

$$y = \frac{2}{7}x + \frac{3}{14} + \frac{1}{7}$$

$$y = \frac{2}{7}x + \frac{5}{14}$$

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise D, Question 2

#### Question:

The line that passes through the points  $(2, -5)$  and  $(-7, 4)$  meets the  $x$ -axis at the point  $P$ . Work out the coordinates of the point  $P$ .

#### Solution:

$$\frac{y - y_1}{y_2 - y_1} = \frac{x - x_1}{x_2 - x_1}$$

$$\frac{y - (-5)}{4 - (-5)} = \frac{x - 2}{-7 - 2}$$

$$\frac{y + 5}{9} = \frac{x - 2}{-9}$$

Multiply each side by 9:

$$y + 5 = -1(x - 2) \quad (\text{Note: } \frac{9}{-9} = -1)$$

$$y + 5 = -x + 2$$

$$y = -x - 3$$

Substitute  $y = 0$ :

$$0 = -x - 3$$

$$x = -3$$

So the line meets the  $x$ -axis at  $P(-3, 0)$ .

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise D, Question 3

**Question:**

The line that passes through the points  $(-3, -5)$  and  $(4, 9)$  meets the y-axis at the point  $G$ . Work out the coordinates of the point  $G$ .

**Solution:**

$$\frac{y - y_1}{y_2 - y_1} = \frac{x - x_1}{x_2 - x_1}$$

$$\frac{y - (-5)}{9 - (-5)} = \frac{x - (-3)}{4 - (-3)}$$

$$\frac{y + 5}{14} = \frac{x + 3}{7}$$

Multiply each side by 14:

$$y + 5 = 2(x + 3)$$

$$y + 5 = 2x + 6$$

$$y = 2x + 1$$

Substitute  $x = 0$ :

$$y = 2(0) + 1 = 1$$

The coordinates of  $G$  are  $(0, 1)$ .

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise D, Question 4

#### Question:

The line that passes through the points  $\left(3, 2\frac{1}{2}\right)$  and  $\left(-1\frac{1}{2}, 4\right)$  meets the y-axis at the point  $J$ . Work out the coordinates of the point  $J$ .

#### Solution:

$$\frac{y - y_1}{y_2 - y_1} = \frac{x - x_1}{x_2 - x_1}$$

$$\frac{y - 2\frac{1}{2}}{4 - 2\frac{1}{2}} = \frac{x - 3}{-1\frac{1}{2} - 3}$$

$$\frac{y - 2\frac{1}{2}}{1\frac{1}{2}} = \frac{x - 3}{-4\frac{1}{2}}$$

Multiply top and bottom of each fraction by 2:

$$\frac{2y - 5}{3} = \frac{2x - 6}{-9}$$

Multiply each side by 9:

$$3(2y - 5) = -1(2x - 6) \quad (\text{Note: } \frac{9}{-9} = -1)$$

$$6y - 15 = -2x + 6$$

$$6y = -2x + 21$$

$$y = -\frac{2}{6}x + \frac{21}{6}$$

$$y = -\frac{1}{3}x + \frac{7}{2}$$

Substitute  $x = 0$ :

$$y = -\frac{1}{3}\left(0\right) + \frac{7}{2} = \frac{7}{2}$$

The coordinates of  $J$  are  $\left(0, \frac{7}{2}\right)$  or  $\left(0, 3\frac{1}{2}\right)$ .

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise D, Question 5

#### Question:

The line  $y = 2x - 10$  meets the  $x$ -axis at the point  $A$ . The line  $y = -2x + 4$  meets the  $y$ -axis at the point  $B$ . Find the equation of the line joining the points  $A$  and  $B$ . (Hint: First work out the coordinates of the points  $A$  and  $B$ .)

#### Solution:

$$y = 2x - 10$$

Substitute  $y = 0$ :

$$2x - 10 = 0$$

$$2x = 10$$

$$x = 5$$

The coordinates of  $A$  are  $(5, 0)$ .

$$y = -2x + 4$$

Substitute  $x = 0$ :

$$y = -2(0) + 4 = 4$$

The coordinates of  $B$  are  $(0, 4)$ .

Equation of  $AB$ :

$$\frac{y - y_1}{y_2 - y_1} = \frac{x - x_1}{x_2 - x_1}$$

$$\frac{y - 0}{4 - 0} = \frac{x - 5}{0 - 5}$$

$$\frac{y}{4} = \frac{x - 5}{-5}$$

Multiply each side by 4:

$$y = 4 \frac{(x - 5)}{-5} = \frac{4}{-5} (x - 5) = -\frac{4}{5} (x - 5) = -\frac{4}{5}x + 4$$

The equation of the line is  $y = -\frac{4}{5}x + 4$ .

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise D, Question 6

#### Question:

The line  $y = 4x + 5$  meets the  $y$ -axis at the point  $C$ . The line  $y = -3x - 15$  meets the  $x$ -axis at the point  $D$ . Find the equation of the line joining the points  $C$  and  $D$ . Write your answer in the form  $ax + by + c = 0$ , where  $a$ ,  $b$  and  $c$  are integers.

#### Solution:

$$y = 4x + 5$$

Substitute  $x = 0$ :

$$y = 4(0) + 5 = 5$$

The coordinates of  $C$  are  $(0, 5)$ .

$$y = -3x - 15$$

Substitute  $y = 0$ :

$$0 = -3x - 15$$

$$3x = -15$$

$$x = -5$$

The coordinates of  $D$  are  $(-5, 0)$ .

Equation of  $CD$ :

$$\frac{y - y_1}{y_2 - y_1} = \frac{x - x_1}{x_2 - x_1}$$

$$\frac{y - 5}{0 - 5} = \frac{x - 0}{-5 - 0}$$

$$\frac{y - 5}{-5} = \frac{x}{-5}$$

Multiply each side by  $-5$ :

$$y - 5 = x$$

$$-5 = x - y$$

$$0 = x - y + 5$$

The equation of the line is  $x - y + 5 = 0$ .

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise D, Question 7

#### Question:

The lines  $y = x - 5$  and  $y = 3x - 13$  intersect at the point  $S$ . The point  $T$  has coordinates  $(-4, 2)$ . Find the equation of the line that passes through the points  $S$  and  $T$ .

#### Solution:

$$y = 3x - 13$$

$$y = x - 5$$

$$\text{So } 3x - 13 = x - 5$$

$$\Rightarrow 3x = x + 8$$

$$\Rightarrow 2x = 8$$

$$\Rightarrow x = 4$$

when  $x = 4$ ,  $y = 4 - 5 = -1$

The coordinates of  $S$  are  $(4, -1)$ .

Equation of  $ST$ :

$$\frac{y - y_1}{y_2 - y_1} = \frac{x - x_1}{x_2 - x_1}$$

$$\frac{y - (-1)}{2 - (-1)} = \frac{x - 4}{-4 - 4}$$

$$\frac{y + 1}{3} = \frac{x - 4}{-8}$$

Multiply each side by 3:

$$y + 1 = 3 \times \frac{(x - 4)}{-8}$$

$$y + 1 = \frac{3}{-8} \times (x - 4)$$

$$y + 1 = -\frac{3}{8} (x - 4)$$

$$y + 1 = -\frac{3}{8}x + \frac{3}{2}$$

$$y = -\frac{3}{8}x + \frac{1}{2}$$



# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise D, Question 8

#### Question:

The lines  $y = -2x + 1$  and  $y = x + 7$  intersect at the point  $L$ . The point  $M$  has coordinates  $(-3, 1)$ . Find the equation of the line that passes through the points  $L$  and  $M$ .

#### Solution:

$$y = x + 7$$

$$y = -2x + 1$$

$$\text{So } x + 7 = -2x + 1$$

$$\Rightarrow 3x + 7 = 1$$

$$\Rightarrow 3x = -6$$

$$\Rightarrow x = -2$$

$$\text{when } x = -2, y = (-2) + 7 = 5$$

The coordinates of  $L$  are  $(-2, 5)$ .

Equation of  $LM$ :

$$\frac{y - y_1}{y_2 - y_1} = \frac{x - x_1}{x_2 - x_1}$$

$$\frac{y - 5}{1 - 5} = \frac{x - (-2)}{-3 - (-2)}$$

$$\frac{y - 5}{-4} = \frac{x + 2}{-1}$$

Multiply each side by  $-4$ :

$$y - 5 = 4(x + 2) \quad (\text{Note: } \frac{-4}{-1} = 4)$$

$$y - 5 = 4x + 8$$

$$y = 4x + 13$$

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise D, Question 9

#### Question:

The vertices of the triangle  $ABC$  have coordinates  $A(3, 5)$ ,  $B(-2, 0)$  and  $C(4, -1)$ . Find the equations of the sides of the triangle.

#### Solution:

(1) Equation of  $AB$ :

$$(x_1, y_1) = (3, 5), (x_2, y_2) = (-2, 0)$$

$$\frac{y - y_1}{y_2 - y_1} = \frac{x - x_1}{x_2 - x_1}$$

$$\frac{y - 5}{0 - 5} = \frac{x - 3}{-2 - 3}$$

$$\frac{y - 5}{-5} = \frac{x - 3}{-5}$$

Multiply each side by  $-5$ :

$$y - 5 = x - 3$$

$$y = x + 2$$

(2) Equation of  $AC$ :

$$(x_1, y_1) = (3, 5), (x_2, y_2) = (4, -1)$$

$$\frac{y - y_1}{y_2 - y_1} = \frac{x - x_1}{x_2 - x_1}$$

$$\frac{y - 5}{-1 - 5} = \frac{x - 3}{4 - 3}$$

$$\frac{y - 5}{-6} = \frac{x - 3}{1}$$

Multiply each side by  $-6$ :

$$y - 5 = -6(x - 3)$$

$$y - 5 = -6x + 18$$

$$y = -6x + 23$$

(3) Equation of  $BC$ :

$$(x_1, y_1) = (-2, 0), (x_2, y_2) = (4, -1)$$

$$\frac{y - y_1}{y_2 - y_1} = \frac{x - x_1}{x_2 - x_1}$$

$$\frac{y - 0}{-1 - 0} = \frac{x - (-2)}{4 - (-2)}$$

$$\frac{y}{-1} = \frac{x + 2}{6}$$

Multiply each side by  $-1$ :

$$y = -1 \frac{(x + 2)}{6}$$

$$y = -\frac{1}{6} \left( x + 2 \right)$$

$$y = -\frac{1}{6}x - \frac{1}{3}$$

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise D, Question 10

#### Question:

The line  $V$  passes through the points  $(-5, 3)$  and  $(7, -3)$  and the line  $W$  passes through the points  $(2, -4)$  and  $(4, 2)$ . The lines  $V$  and  $W$  intersect at the point  $A$ . Work out the coordinates of the point  $A$ .

#### Solution:

(1) The equation of  $V$ :

$$(x_1, y_1) = (-5, 3), (x_2, y_2) = (7, -3)$$

$$\frac{y - y_1}{y_2 - y_1} = \frac{x - x_1}{x_2 - x_1}$$

$$\frac{y - 3}{-3 - 3} = \frac{x - (-5)}{7 - (-5)}$$

$$\frac{y - 3}{-6} = \frac{x + 5}{12}$$

Multiply each side by  $-6$ :

$$y - 3 = -\frac{1}{2} \left( x + 5 \right) \quad (\text{Note: } \frac{-6}{12} = -\frac{1}{2})$$

$$y - 3 = -\frac{1}{2}x - \frac{5}{2}$$

$$y = -\frac{1}{2}x + \frac{1}{2}$$

(2) The equation of  $W$ :

$$(x_1, y_1) = (2, -4), (x_2, y_2) = (4, 2)$$

$$\frac{y - y_1}{y_2 - y_1} = \frac{x - x_1}{x_2 - x_1}$$

$$\frac{y - (-4)}{2 - (-4)} = \frac{x - 2}{4 - 2}$$

$$\frac{y + 4}{6} = \frac{x - 2}{2}$$

Multiply each side by 6:

$$y + 4 = 3(x - 2) \quad (\text{Note: } \frac{6}{2} = 3)$$

$$y + 4 = 3x - 6$$

$$y = 3x - 10$$

Solving simultaneously:

$$y = -\frac{1}{2}x + \frac{1}{2}$$

$$y = 3x - 10$$

$$\text{So } 3x - 10 = -\frac{1}{2}x + \frac{1}{2}$$

$$\Rightarrow \frac{7}{2}x - 10 = \frac{1}{2}$$

$$\Rightarrow \frac{7}{2}x = \frac{21}{2}$$

$$\Rightarrow 7x = 21$$

$$\Rightarrow x = 3$$

When  $x = 3$ ,  $y = 3(3) - 10 = 9 - 10 = -1$

The lines intersect at  $A(3, -1)$ .

© Pearson Education Ltd 2008

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise E, Question 1

#### Question:

Work out if these pairs of lines are parallel, perpendicular or neither:

(a)  $y = 4x + 2$

$$y = -\frac{1}{4}x - 7$$

(b)  $y = \frac{2}{3}x - 1$

$$y = \frac{2}{3}x - 11$$

(c)  $y = \frac{1}{5}x + 9$

$$y = 5x + 9$$

(d)  $y = -3x + 2$

$$y = \frac{1}{3}x - 7$$

(e)  $y = \frac{3}{5}x + 4$

$$y = -\frac{5}{3}x - 1$$

(f)  $y = \frac{5}{7}x$

$$y = \frac{5}{7}x - 3$$

(g)  $y = 5x - 3$

$$5x - y + 4 = 0$$

(h)  $5x - y - 1 = 0$

$$y = -\frac{1}{5}x$$

(i)  $y = -\frac{3}{2}x + 8$

$$2x - 3y - 9 = 0$$

(j)  $4x - 5y + 1 = 0$

$$8x - 10y - 2 = 0$$

(k)  $3x + 2y - 12 = 0$

$$2x + 3y - 6 = 0$$

(l)  $5x - y + 2 = 0$

$$2x + 10y - 4 = 0$$

**Solution:**

(a) The gradients of the lines are 4 and  $-\frac{1}{4}$ .

$$4 \times -\frac{1}{4} = -1$$

The lines are **perpendicular**.

(b) The gradients of the lines are  $\frac{2}{3}$  and  $\frac{2}{3}$ , i.e. they have the same gradient.

The lines are **parallel**.

(c) The gradients of the lines are  $\frac{1}{5}$  and 5.

$$\frac{1}{5} \times 5 = 1$$

The lines are **neither** perpendicular nor parallel.

(d) The gradients of the lines are  $-3$  and  $\frac{1}{3}$ .

$$-3 \times \frac{1}{3} = -1$$

The lines are **perpendicular**.

(e) The gradients of the lines are  $\frac{3}{5}$  and  $-\frac{5}{3}$ .

$$\frac{3}{5} \times -\frac{5}{3} = -1$$

The lines are **perpendicular**.

(f) The gradients of the lines are  $\frac{5}{7}$  and  $\frac{5}{7}$ , i.e. they have the same gradient.

The lines are **parallel**.

(g) The gradient of  $y = 5x - 3$  is 5.

$$5x - y + 4 = 0$$

$$5x + 4 = y$$

$$y = 5x + 4$$

The gradient of  $5x - y + 4 = 0$  is 5.

The lines have the same gradient.

The lines are **parallel**.

(h)  $5x - y - 1 = 0$

$$5x - 1 = y$$

$$y = 5x - 1$$

The gradient of  $5x - y - 1 = 0$  is 5.

The gradient of  $y = -\frac{1}{5}x$  is  $-\frac{1}{5}$ .

The product of the gradients is  $5 \times -\frac{1}{5} = -1$

So the lines are **perpendicular**.

(i) The gradient of  $y = -\frac{3}{2}x + 8$  is  $-\frac{3}{2}$ .

$$2x - 3y - 9 = 0$$

$$2x - 9 = 3y$$

$$3y = 2x - 9$$

$$y = \frac{2}{3}x - 3$$

The gradient of  $2x - 3y - 9 = 0$  is  $\frac{2}{3}$ .

The product of the gradients is  $\frac{2}{3} \times -\frac{3}{2} = -1$

So the lines are **perpendicular**.

(j)  $4x - 5y + 1 = 0$

$$4x + 1 = 5y$$

$$5y = 4x + 1$$

$$y = \frac{4}{5}x + \frac{1}{5}$$

The gradient of  $4x - 5y + 1 = 0$  is  $\frac{4}{5}$ .

$$8x - 10y - 2 = 0$$

$$8x - 2 = 10y$$

$$10y = 8x - 2$$

$$y = \frac{8}{10}x - \frac{2}{10}$$

$$y = \frac{4}{5}x - \frac{1}{5}$$

The gradient of  $8x - 10y - 2 = 0$  is  $\frac{4}{5}$ .

The lines have the same gradient, they are **parallel**.

(k)  $3x + 2y - 12 = 0$

$$3x + 2y = 12$$

$$2y = -3x + 12$$

$$y = -\frac{3}{2}x + 6$$

The gradient of  $3x + 2y - 12 = 0$  is  $-\frac{3}{2}$ .

$$2x + 3y - 6 = 0$$

$$2x + 3y = 6$$

$$3y = -2x + 6$$

$$y = -\frac{2}{3}x + 2$$

The gradient of  $2x + 3y - 6 = 0$  is  $-\frac{2}{3}$ .

The product of the gradient is

$$-\frac{3}{2} \times -\frac{2}{3} = 1$$

So the lines are **neither** parallel nor perpendicular.

(l)  $5x - y + 2 = 0$

$$5x + 2 = y$$

$$y = 5x + 2$$

The gradient of  $5x - y + 2 = 0$  is 5.

$$2x + 10y - 4 = 0$$

$$2x + 10y = 4$$

$$10y = -2x + 4$$

$$y = -\frac{2}{10}x + \frac{4}{10}$$

$$y = -\frac{1}{5}x + \frac{2}{5}$$

The gradient of  $2x + 10y - 4 = 0$  is  $-\frac{1}{5}$ .

The product of the gradients is

$$5 \times -\frac{1}{5} = -1$$

So the lines are **perpendicular**.

© Pearson Education Ltd 2008



# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise E, Question 2

#### Question:

Find an equation of the line that passes through the point  $(6, -2)$  and is perpendicular to the line  $y = 3x + 5$ .

#### Solution:

The gradient of  $y = 3x + 5$  is 3.

The gradient of a line perpendicular to  $y = 3x + 5$  is  $-\frac{1}{3}$ .

$$y - y_1 = m(x - x_1)$$

$$y - \begin{pmatrix} -2 \end{pmatrix} = -\frac{1}{3} \begin{pmatrix} x - 6 \end{pmatrix}$$

$$y + 2 = -\frac{1}{3}x + 2$$

$$y = -\frac{1}{3}x$$

The equation of the line is  $y = -\frac{1}{3}x$ .

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise E, Question 3

#### Question:

Find an equation of the line that passes through the point  $(-2, 7)$  and is parallel to the line  $y = 4x + 1$ . Write your answer in the form  $ax + by + c = 0$ .

#### Solution:

The gradient of a line parallel to  $y = 4x + 1$  is 4.

$$y - y_1 = m(x - x_1)$$

$$y - 7 = 4[x - (-2)]$$

$$y - 7 = 4(x + 2)$$

$$y - 7 = 4x + 8$$

$$y = 4x + 15$$

$$0 = 4x + 15 - y$$

$$4x - y + 15 = 0$$

The equation of the line is  $4x - y + 15 = 0$ .

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise E, Question 4

#### Question:

Find an equation of the line:

(a) parallel to the line  $y = -2x - 5$ , passing through  $\left(-\frac{1}{2}, \frac{3}{2}\right)$ .

(b) parallel to the line  $x - 2y - 1 = 0$ , passing through  $(0, 0)$ .

(c) perpendicular to the line  $y = x - 4$ , passing through  $(-1, -2)$ .

(d) perpendicular to the line  $2x + y - 9 = 0$ , passing through  $(4, -6)$ .

#### Solution:

(a) The gradient of a line parallel to  $y = -2x - 5$  is  $-2$ .

$$y - y_1 = m(x - x_1)$$

$$y - \frac{3}{2} = -2 \left[ x - \left(-\frac{1}{2}\right) \right]$$

$$y - \frac{3}{2} = -2 \left( x + \frac{1}{2} \right)$$

$$y - \frac{3}{2} = -2x - 1$$

$$y = -2x + \frac{1}{2}$$

(b)  $x - 2y - 1 = 0$

$$x - 1 = 2y$$

$$2y = x - 1$$

$$y = \frac{1}{2}x - \frac{1}{2}$$

The gradient of  $x - 2y - 1 = 0$  is  $\frac{1}{2}$ .

$$y - y_1 = m(x - x_1)$$

$$y - 0 = \frac{1}{2} \left( x - 0 \right)$$

$$y = \frac{1}{2}x$$

(c) The gradient of  $y = x - 4$  is 1.

The gradient of a line perpendicular to  $y = x - 4$  is  $-\frac{1}{1} = -1$ .

$$y - y_1 = m(x - x_1)$$

$$y - (-2) = -1 [ x - (-1) ]$$

$$y + 2 = -1(x + 1)$$

$$y + 2 = -x - 1$$

$$y = -x - 3$$

$$(d) 2x + y - 9 = 0$$

$$2x + y = 9$$

$$y = -2x + 9$$

The gradient of  $2x + y - 9 = 0$  is  $-2$ .

The gradient of a line perpendicular to  $2x + y - 9 = 0$  is  $-\frac{1}{-2} = \frac{1}{2}$ .

$$y - y_1 = m(x - x_1)$$

$$y - \begin{pmatrix} -6 \end{pmatrix} = \frac{1}{2} \begin{pmatrix} x - 4 \end{pmatrix}$$

$$y + 6 = \frac{1}{2} \begin{pmatrix} x - 4 \end{pmatrix}$$

$$y + 6 = \frac{1}{2}x - 2$$

$$y = \frac{1}{2}x - 8$$

© Pearson Education Ltd 2008

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise E, Question 5

#### Question:

Find an equation of the line:

- (a) parallel to the line  $y = 3x + 6$ , passing through  $(-2, 5)$ .
- (b) perpendicular to the line  $y = 3x + 6$ , passing through  $(-2, 5)$ .
- (c) parallel to the line  $4x - 6y + 7 = 0$ , passing through  $(3, 4)$ .
- (d) perpendicular to the line  $4x - 6y + 7 = 0$ , passing through  $(3, 4)$ .

#### Solution:

- (a) The gradient of a line parallel to  $y = 3x + 6$  is 3.

$$y - y_1 = m(x - x_1)$$

$$y - 5 = 3[x - (-2)]$$

$$y - 5 = 3(x + 2)$$

$$y - 5 = 3x + 6$$

$$y = 3x + 11$$

- (b) The gradient of a line perpendicular to  $y = 3x + 6$  is  $-\frac{1}{3}$ .

$$y - y_1 = m(x - x_1)$$

$$y - 5 = -\frac{1}{3}\left[x - \begin{pmatrix} -2 \\ -2 \end{pmatrix}\right]$$

$$y - 5 = -\frac{1}{3}\begin{pmatrix} x + 2 \end{pmatrix}$$

$$y - 5 = -\frac{1}{3}x - \frac{2}{3}$$

$$y = -\frac{1}{3}x + \frac{13}{3}$$

- (c)  $4x - 6y + 7 = 0$

$$4x + 7 = 6y$$

$$6y = 4x + 7$$

$$y = \frac{4}{6}x + \frac{7}{6}$$

$$y = \frac{2}{3}x + \frac{7}{6}$$

The gradient of a line parallel to  $4x - 6y + 7 = 0$  is  $\frac{2}{3}$ .

$$y - y_1 = m(x - x_1)$$

$$y - 4 = \frac{2}{3}\begin{pmatrix} x - 3 \end{pmatrix}$$

$$y - 4 = \frac{2}{3}x - 2$$

$$y = \frac{2}{3}x + 2$$

(d) The gradient of the line  $4x - 6y + 7 = 0$  is  $\frac{2}{3}$  [see part (c)].

The gradient of a line perpendicular to  $4x - 6y + 7 = 0$  is  $-\frac{1}{\frac{2}{3}} = -\frac{3}{2}$ .

$$y - y_1 = m(x - x_1)$$

$$y - 4 = -\frac{3}{2}(x - 3)$$

$$y - 4 = -\frac{3}{2}x + \frac{9}{2}$$

$$y = -\frac{3}{2}x + \frac{17}{2}$$

© Pearson Education Ltd 2008

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise E, Question 6

#### Question:

Find an equation of the line that passes through the point  $(5, -5)$  and is perpendicular to the line  $y = \frac{2}{3}x + 5$ . Write your answer in the form  $ax + by + c = 0$ , where  $a$ ,  $b$  and  $c$  are integers.

#### Solution:

The gradient of a line perpendicular to  $y = \frac{2}{3}x + 5$  is  $-\frac{1}{\frac{2}{3}} = -\frac{3}{2}$ .

$$y - y_1 = m(x - x_1)$$

$$y - \begin{pmatrix} -5 \end{pmatrix} = -\frac{3}{2} \begin{pmatrix} x - 5 \end{pmatrix}$$

$$y + 5 = -\frac{3}{2} \begin{pmatrix} x - 5 \end{pmatrix}$$

Multiply each term by 2:

$$2y + 10 = -3(x - 5)$$

$$2y + 10 = -3x + 15$$

$$3x + 2y + 10 = 15$$

$$3x + 2y - 5 = 0$$

The equation of the line is  $3x + 2y - 5 = 0$ .

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise E, Question 7

#### Question:

Find an equation of the line that passes through the point  $(-2, -3)$  and is perpendicular to the line  $y = -\frac{4}{7}x + 5$ .

Write your answer in the form  $ax + by + c = 0$ , where  $a$ ,  $b$  and  $c$  are integers.

#### Solution:

The gradient of a line perpendicular to  $y = -\frac{4}{7}x + 5$  is  $-\frac{1}{-\frac{4}{7}} = \frac{7}{4}$ .

$$y - y_1 = m(x - x_1)$$

$$y - \begin{pmatrix} -3 \end{pmatrix} = \frac{7}{4} \left[ x - \begin{pmatrix} -2 \end{pmatrix} \right]$$

$$y + 3 = \frac{7}{4} \begin{pmatrix} x + 2 \end{pmatrix}$$

Multiply each term by 4:

$$4y + 12 = 7(x + 2)$$

$$4y + 12 = 7x + 14$$

$$4y = 7x + 2$$

$$0 = 7x + 2 - 4y$$

$$7x - 4y + 2 = 0$$

The equation of the line is  $7x - 4y + 2 = 0$ .



# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

Coordinate geometry in the (x, y) plane  
Exercise E, Question 8

**Question:**

The line  $r$  passes through the points  $(1, 4)$  and  $(6, 8)$  and the line  $s$  passes through the points  $(5, -3)$  and  $(20, 9)$ . Show that the lines  $r$  and  $s$  are parallel.

**Solution:**

The gradient of  $r$  is

$$\frac{y_2 - y_1}{x_2 - x_1} = \frac{8 - 4}{6 - 1} = \frac{4}{5}$$

The gradient of  $s$  is

$$\frac{y_2 - y_1}{x_2 - x_1} = \frac{9 - (-3)}{20 - 5} = \frac{12}{15} = \frac{4}{5}$$

The gradients are equal, so the lines are **parallel**.

© Pearson Education Ltd 2008

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise E, Question 9

#### Question:

The line  $l$  passes through the points  $(-3, 0)$  and  $(3, -2)$  and the line  $n$  passes through the points  $(1, 8)$  and  $(-1, 2)$ . Show that the lines  $l$  and  $n$  are perpendicular.

#### Solution:

The gradient of  $l$  is

$$\frac{y_2 - y_1}{x_2 - x_1} = \frac{-2 - 0}{3 - (-3)} = -\frac{2}{6} = -\frac{1}{3}$$

The gradient of  $n$  is

$$\frac{y_2 - y_1}{x_2 - x_1} = \frac{2 - 8}{-1 - 1} = \frac{-6}{-2} = 3$$

The product of the gradients is

$$-\frac{1}{3} \times 3 = -1$$

So the lines are **perpendicular**.

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level


### Coordinate geometry in the (x, y) plane

#### Exercise E, Question 10

#### Question:

The vertices of a quadrilateral  $ABCD$  has coordinates  $A(-1, 5)$ ,  $B(7, 1)$ ,  $C(5, -3)$ ,  $D(-3, 1)$ . Show that the quadrilateral is a rectangle.

#### Solution:



(1) The gradient of  $AB$  is

$$\frac{y_2 - y_1}{x_2 - x_1} = \frac{5 - 1}{-1 - 7} = \frac{4}{-8} = -\frac{1}{2}$$

(2) The gradient of  $DC$  is

$$\frac{y_2 - y_1}{x_2 - x_1} = \frac{-3 - 1}{5 - (-3)} = -\frac{4}{8} = -\frac{1}{2}$$

The gradient of  $AB$  is the same as the gradient of  $DC$ , so the lines are parallel.

(3) The gradient of  $AD$  is

$$\frac{y_2 - y_1}{x_2 - x_1} = \frac{5 - 1}{-1 - (-3)} = \frac{4}{-1 + 3} = \frac{4}{2} = 2$$

(4) The gradient of  $BC$  is

$$\frac{y_2 - y_1}{x_2 - x_1} = \frac{-3 - 1}{5 - 7} = \frac{-4}{-2} = 2$$

The gradient of  $AD$  is the same as the gradient of  $BC$ , so the lines are parallel.

The line  $AD$  is perpendicular to the line  $AB$  as

$$2 \times -\frac{1}{2} = -1$$

So  $ABCD$  is a rectangle.

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise F, Question 1

#### Question:

The points  $A$  and  $B$  have coordinates  $(-4, 6)$  and  $(2, 8)$  respectively. A line  $p$  is drawn through  $B$  perpendicular to  $AB$  to meet the  $y$ -axis at the point  $C$ .

- (a) Find an equation of the line  $p$ .
- (b) Determine the coordinates of  $C$ . **[E]**

#### Solution:

- (a) The gradient of  $AB$  is

$$\frac{y_2 - y_1}{x_2 - x_1} = \frac{8 - 6}{2 - (-4)} = \frac{2}{6} = \frac{1}{3}$$

The gradient of a line perpendicular to  $AB$  is

$$-\frac{1}{\frac{1}{3}} = -3$$

The equation of  $p$  is

$$y - y_1 = m(x - x_1)$$

$$y - 8 = -3(x - 2)$$

$$y - 8 = -3x + 6$$

$$y = -3x + 14$$

- (b) Substitute  $x = 0$ :

$$y = -3(0) + 14 = 14$$

The coordinates of  $C$  are  $(0, 14)$ .

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise F, Question 2

#### Question:

The line  $l$  has equation  $2x - y - 1 = 0$ .

The line  $m$  passes through the point  $A(0, 4)$  and is perpendicular to the line  $l$ .

(a) Find an equation of  $m$  and show that the lines  $l$  and  $m$  intersect at the point  $P(2, 3)$ .

The line  $n$  passes through the point  $B(3, 0)$  and is parallel to the line  $m$ .

(b) Find an equation of  $n$  and hence find the coordinates of the point  $Q$  where the lines  $l$  and  $n$  intersect. **[E]**

#### Solution:

$$(a) \quad 2x - y - 1 = 0$$

$$2x - 1 = y$$

$$y = 2x - 1$$

The gradient of  $2x - y - 1 = 0$  is 2.

The gradient of a line perpendicular to  $2x - y - 1 = 0$  is  $-\frac{1}{2}$ .

The equation of the line  $m$  is

$$y - y_1 = m(x - x_1)$$

$$y - 4 = -\frac{1}{2} \left( x - 0 \right)$$

$$y - 4 = -\frac{1}{2}x$$

$$y = -\frac{1}{2}x + 4$$

To find  $P$  solve  $y = -\frac{1}{2}x + 4$  and  $2x - y - 1 = 0$  simultaneously.

Substitute:

$$2x - \left( -\frac{1}{2}x + 4 \right) - 1 = 0$$

$$2x + \frac{1}{2}x - 4 - 1 = 0$$

$$\frac{5}{2}x - 5 = 0$$

$$\frac{5}{2}x = 5$$

$$5x = 10$$

$$x = 2$$

Substitute  $x = 2$  into  $y = -\frac{1}{2}x + 4$ :

$$y = -\frac{1}{2} \left( 2 \right) + 4 = -1 + 4 = 3$$

The lines intersect at  $P(2, 3)$ , as required.

(b) A line parallel to the line  $m$  has gradient  $-\frac{1}{2}$ .

The equation of the line  $n$  is

$$y - y_1 = m ( x - x_1 )$$

$$y - 0 = - \frac{1}{2} \left( x - 3 \right)$$

$$y = - \frac{1}{2}x + \frac{3}{2}$$

To find  $Q$  solve  $2x - y - 1 = 0$  and  $y = - \frac{1}{2}x + \frac{3}{2}$  simultaneously.

Substitute:

$$2x - \left( - \frac{1}{2}x + \frac{3}{2} \right) - 1 = 0$$

$$2x + \frac{1}{2}x - \frac{3}{2} - 1 = 0$$

$$\frac{5}{2}x - \frac{5}{2} = 0$$

$$\frac{5}{2}x = \frac{5}{2}$$

$$x = 1$$

Substitute  $x = 1$  into  $y = - \frac{1}{2}x + \frac{3}{2}$ :

$$y = - \frac{1}{2} \left( 1 \right) + \frac{3}{2} = - \frac{1}{2} + \frac{3}{2} = 1$$

The lines intersect at  $Q ( 1 , 1 )$  .

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise F, Question 3

#### Question:

The line  $L_1$  has gradient  $\frac{1}{7}$  and passes through the point  $A(2, 2)$ . The line  $L_2$  has gradient  $-1$  and passes through the point  $B(4, 8)$ . The lines  $L_1$  and  $L_2$  intersect at the point  $C$ .

(a) Find an equation for  $L_1$  and an equation for  $L_2$ .

(b) Determine the coordinates of  $C$ . **[E]**

#### Solution:

(a) The equation of  $L_1$  is

$$y - y_1 = m(x - x_1)$$

$$y - 2 = \frac{1}{7}(x - 2)$$

$$y - 2 = \frac{1}{7}x - \frac{2}{7}$$

$$y = \frac{1}{7}x + \frac{12}{7}$$

The equation of  $L_2$  is

$$y - y_1 = m(x - x_1)$$

$$y - 8 = -1(x - 4)$$

$$y - 8 = -x + 4$$

$$y = -x + 12$$

(b) Solve  $y = \frac{1}{7}x + \frac{12}{7}$  and  $y = -x + 12$  simultaneously.

Substitute:

$$-x + 12 = \frac{1}{7}x + \frac{12}{7}$$

$$12 = \frac{8}{7}x + \frac{12}{7}$$

$$10 \frac{2}{7} = \frac{8}{7}x$$

$$x = \frac{10 \frac{2}{7}}{\frac{8}{7}} = 9$$

Substitute  $x = 9$  into  $y = -x + 12$ :

$$y = -9 + 12 = 3$$

The lines intersect at  $C(9, 3)$ .

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise F, Question 4

#### Question:

The straight line passing through the point  $P(2, 1)$  and the point  $Q(k, 11)$  has gradient  $-\frac{5}{12}$ .

(a) Find the equation of the line in terms of  $x$  and  $y$  only.

(b) Determine the value of  $k$ . **[E]**

#### Solution:

$$(a) m = -\frac{5}{12}, (x_1, y_1) = (2, 1)$$

The equation of the line is

$$y - y_1 = m(x - x_1)$$

$$y - 1 = -\frac{5}{12}(x - 2)$$

$$y - 1 = -\frac{5}{12}x + \frac{5}{6}$$

$$y = -\frac{5}{12}x + \frac{11}{6}$$

(b) Substitute  $(k, 11)$  into  $y = -\frac{5}{12}x + \frac{11}{6}$ :

$$11 = -\frac{5}{12}k + \frac{11}{6}$$

$$11 - \frac{11}{6} = -\frac{5}{12}k$$

$$\frac{55}{6} = -\frac{5}{12}k$$

Multiply each side by 12:

$$110 = -5k$$

$$k = -22$$



# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise F, Question 5

#### Question:

(a) Find an equation of the line  $l$  which passes through the points  $A(1, 0)$  and  $B(5, 6)$ .  
The line  $m$  with equation  $2x + 3y = 15$  meets  $l$  at the point  $C$ .

(b) Determine the coordinates of the point  $C$ . **[E]**

#### Solution:

(a) The equation of  $l$  is

$$\frac{y - y_1}{y_2 - y_1} = \frac{x - x_1}{x_2 - x_1}$$

$$\frac{y - 0}{6 - 0} = \frac{x - 1}{5 - 1}$$

$$\frac{y}{6} = \frac{x - 1}{4}$$

Multiply each side by 6:

$$y = 6 \frac{(x - 1)}{4}$$

$$y = \frac{3}{2} (x - 1)$$

$$y = \frac{3}{2}x - \frac{3}{2}$$

(b) Solve  $2x + 3y = 15$  and  $y = \frac{3}{2}x - \frac{3}{2}$  simultaneously.

Substitute:

$$2x + 3 \left( \frac{3}{2}x - \frac{3}{2} \right) = 15$$

$$2x + \frac{9}{2}x - \frac{9}{2} = 15$$

$$\frac{13}{2}x - \frac{9}{2} = 15$$

$$\frac{13}{2}x = \frac{39}{2}$$

$$13x = 39$$

$$x = 3$$

Substitute  $x = 3$  into  $y = \frac{3}{2}x - \frac{3}{2}$ :

$$y = \frac{3}{2} \left( 3 \right) - \frac{3}{2} = \frac{9}{2} - \frac{3}{2} = \frac{6}{2} = 3$$

The coordinates of  $C$  are  $(3, 3)$ .

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise F, Question 6

#### Question:

The line  $L$  passes through the points  $A ( 1 , 3 )$  and  $B ( - 19 , - 19 )$  .

Find an equation of  $L$  in the form  $ax + by + c = 0$ , where  $a$ ,  $b$  and  $c$  are integers. **[E]**

#### Solution:

$$(x_1, y_1) = (1, 3), (x_2, y_2) = (-19, -19)$$

The equation of  $L$  is

$$\frac{y - y_1}{y_2 - y_1} = \frac{x - x_1}{x_2 - x_1}$$

$$\frac{y - 3}{-19 - 3} = \frac{x - 1}{-19 - 1}$$

$$\frac{y - 3}{-22} = \frac{x - 1}{-20}$$

Multiply each side by  $-22$ :

$$y - 3 = \frac{-22}{-20} (x - 1)$$

$$y - 3 = \frac{11}{10} (x - 1)$$

Multiply each term by 10:

$$10y - 30 = 11(x - 1)$$

$$10y - 30 = 11x - 11$$

$$10y = 11x + 19$$

$$0 = 11x - 10y + 19$$

The equation of  $L$  is  $11x - 10y + 19 = 0$ .

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise F, Question 7

#### Question:

The straight line  $l_1$  passes through the points  $A$  and  $B$  with coordinates  $(2, 2)$  and  $(6, 0)$  respectively.

(a) Find an equation of  $l_1$ .

The straight line  $l_2$  passes through the point  $C$  with coordinates  $(-9, 0)$  and has gradient  $\frac{1}{4}$ .

(b) Find an equation of  $l_2$ . **[E]**

#### Solution:

(a) The equation of  $l_1$  is

$$\frac{y - y_1}{y_2 - y_1} = \frac{x - x_1}{x_2 - x_1}$$

$$\frac{y - 2}{0 - 2} = \frac{x - 2}{6 - 2}$$

$$\frac{y - 2}{-2} = \frac{x - 2}{4}$$

Multiply each side by  $-2$ :

$$y - 2 = -\frac{1}{2} \left( x - 2 \right) \quad (\text{Note: } -\frac{2}{4} = -\frac{1}{2})$$

$$y - 2 = -\frac{1}{2}x + 1$$

$$y = -\frac{1}{2}x + 3$$

(b) The equation of  $l_2$  is

$$y - y_1 = m(x - x_1)$$

$$y - 0 = \frac{1}{4} \left[ x - \left( -9 \right) \right]$$

$$y = \frac{1}{4} \left( x + 9 \right)$$

$$y = \frac{1}{4}x + \frac{9}{4}$$

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise F, Question 8

#### Question:

The straight line  $l_1$  passes through the points  $A$  and  $B$  with coordinates  $(0, -2)$  and  $(6, 7)$  respectively.

(a) Find the equation of  $l_1$  in the form  $y = mx + c$ .

The straight line  $l_2$  with equation  $x + y = 8$  cuts the  $y$ -axis at the point  $C$ . The lines  $l_1$  and  $l_2$  intersect at the point  $D$ .

(b) Calculate the coordinates of the point  $D$ .

(c) Calculate the area of  $\triangle ACD$ . **[E]**

#### Solution:

(a) The equation of  $l_1$  is

$$\frac{y - y_1}{y_2 - y_1} = \frac{x - x_1}{x_2 - x_1}$$

$$\frac{y - (-2)}{7 - (-2)} = \frac{x - 0}{6 - 0}$$

$$\frac{y + 2}{9} = \frac{x}{6}$$

Multiply each term by 9:

$$y + 2 = \frac{9}{6}x$$

$$y + 2 = \frac{3}{2}x$$

$$y = \frac{3}{2}x - 2$$

(b) Solve  $x + y = 8$  and  $y = \frac{3}{2}x - 2$  simultaneously.

Substitute:

$$x + \left( \frac{3}{2}x - 2 \right) = 8$$

$$x + \frac{3}{2}x - 2 = 8$$

$$\frac{5}{2}x - 2 = 8$$

$$\frac{5}{2}x = 10$$

$$5x = 20$$

$$x = 4$$

Substitute  $x = 4$  into  $x + y = 8$ :

$$(4) + y = 8$$

$$y = 4$$

The coordinates of  $D$  are  $(4, 4)$ .

(c)  $x + y = 8$  cuts the  $y$ -axis when  $x = 0$ .

Substitute  $x = 0$ :

$$0 + y = 8$$


$$y = 8$$

The coordinates of  $C$  are  $(0, 8)$

$$AC = 10$$

$$h = 4$$

$$\text{Area} = \frac{1}{2} \times 10 \times 4 = 20$$



© Pearson Education Ltd 2008

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise F, Question 9

#### Question:

The points  $A$  and  $B$  have coordinates  $(2, 16)$  and  $(12, -4)$  respectively. A straight line  $l_1$  passes through  $A$  and  $B$ .

(a) Find an equation for  $l_1$  in the form  $ax + by = c$ .

The line  $l_2$  passes through the point  $C$  with coordinates  $(-1, 1)$  and has gradient  $\frac{1}{3}$ .

(b) Find an equation for  $l_2$ . **[E]**

#### Solution:

(a) The equation of  $l_1$  is

$$\frac{y - y_1}{y_2 - y_1} = \frac{x - x_1}{x_2 - x_1}$$

$$\frac{y - 16}{-4 - 16} = \frac{x - 2}{12 - 2}$$

$$\frac{y - 16}{-20} = \frac{x - 2}{10}$$

Multiply each side by  $-20$ :

$$y - 16 = -2(x - 2) \quad (\text{Note: } -\frac{20}{10} = -2)$$

$$y - 16 = -2x + 4$$

$$y = -2x + 20$$

$$2x + y = 20$$

(b) The equation of  $l_2$  is

$$y - y_1 = m(x - x_1)$$

$$y - 1 = \frac{1}{3} \left[ x - \left( -1 \right) \right]$$

$$y - 1 = \frac{1}{3} (x + 1)$$

$$y - 1 = \frac{1}{3}x + \frac{1}{3}$$

$$y = \frac{1}{3}x + \frac{4}{3}$$

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise F, Question 10

#### Question:

The points  $A(-1, -2)$ ,  $B(7, 2)$  and  $C(k, 4)$ , where  $k$  is a constant, are the vertices of  $\triangle ABC$ . Angle  $ABC$  is a right angle.

(a) Find the gradient of  $AB$ .

(b) Calculate the value of  $k$ .

(c) Find an equation of the straight line passing through  $B$  and  $C$ . Give your answer in the form  $ax + by + c = 0$ , where  $a$ ,  $b$  and  $c$  are integers. **[E]**

#### Solution:

(a) The gradient of  $AB$  is

$$\frac{y_2 - y_1}{x_2 - x_1} = \frac{2 - (-2)}{7 - (-1)} = \frac{4}{8} = \frac{1}{2}$$

(b) The gradient of  $BC$  is

$$\frac{-1}{\frac{1}{2}} = -2$$

$$\text{So } \frac{y_2 - y_1}{x_2 - x_1} = -2$$

$$\Rightarrow \frac{4 - 2}{k - 7} = -2$$

$$\Rightarrow \frac{2}{k - 7} = -2$$

Multiply each side by  $(k - 7)$  :

$$2 = -2(k - 7)$$

$$2 = -2k + 14$$

$$-12 = -2k$$

$$k = 6$$

(c) The equation of the line passing through  $B$  and  $C$  is

$$\frac{y - y_1}{y_2 - y_1} = \frac{x - x_1}{x_2 - x_1}$$

$$\frac{y - 2}{4 - 2} = \frac{x - 7}{6 - 7}$$

$$\frac{y - 2}{2} = \frac{x - 7}{-1}$$

Multiply each side by 2:

$$y - 2 = -2(x - 7) \quad (\text{Note: } \frac{2}{-1} = -2)$$

$$y - 2 = -2x + 14$$

$$y = -2x + 16$$

$$2x + y = 16$$

$$2x + y - 16 = 0$$

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise F, Question 11

#### Question:

The straight line  $l$  passes through  $A ( 1 , 3 \sqrt{3} )$  and  $B ( 2 + \sqrt{3} , 3 + 4 \sqrt{3} )$ .

- (a) Calculate the gradient of  $l$  giving your answer as a surd in its simplest form.
- (b) Give the equation of  $l$  in the form  $y = mx + c$ , where constants  $m$  and  $c$  are surds given in their simplest form.
- (c) Show that  $l$  meets the  $x$ -axis at the point  $C ( - 2 , 0 )$ . **[E]**

#### Solution:

(a) The gradient of  $l$  is

$$\frac{y_2 - y_1}{x_2 - x_1} = \frac{(3 + 4\sqrt{3}) - 3\sqrt{3}}{(2 + \sqrt{3}) - 1} = \frac{3 + \sqrt{3}}{1 + \sqrt{3}}$$

Rationalise the denominator:

$$\frac{3 + \sqrt{3}}{1 + \sqrt{3}} \times \frac{1 - \sqrt{3}}{1 - \sqrt{3}} = \frac{3 - 3\sqrt{3} + \sqrt{3} - 3}{1 - 3} = \frac{-2\sqrt{3}}{-2} = \sqrt{3}$$

(b) The equation of  $l$  is

$$\begin{aligned} y - y_1 &= m ( x - x_1 ) \\ y - 3\sqrt{3} &= \sqrt{3} ( x - 1 ) \\ y - 3\sqrt{3} &= \sqrt{3}x - \sqrt{3} \\ y &= \sqrt{3}x + 2\sqrt{3} \end{aligned}$$

(c) Substitute  $y = 0$ :

$$\begin{aligned} 0 &= \sqrt{3}x + 2\sqrt{3} \\ \sqrt{3}x &= -2\sqrt{3} \\ x &= \frac{-2\sqrt{3}}{\sqrt{3}} = -2 \end{aligned}$$

The coordinates of  $C$  are  $( - 2 , 0 )$ .



# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise F, Question 12

#### Question:

(a) Find an equation of the straight line passing through the points with coordinates  $(-1, 5)$  and  $(4, -2)$ , giving your answer in the form  $ax + by + c = 0$ , where  $a, b$  and  $c$  are integers.

The line crosses the  $x$ -axis at the point  $A$  and the  $y$ -axis at the point  $B$ , and  $O$  is the origin.

(b) Find the area of  $\triangle OAB$ . **[E]**

#### Solution:

(a) The equation of the line is

$$\frac{y - y_1}{y_2 - y_1} = \frac{x - x_1}{x_2 - x_1}$$

$$\frac{y - 5}{-2 - 5} = \frac{x - (-1)}{4 - (-1)}$$

$$\frac{y - 5}{-7} = \frac{x + 1}{5}$$

Multiply each side by  $-35$ :

$$5(y - 5) = -7(x + 1) \quad (\text{Note: } \frac{-35}{-7} = 5 \text{ and } \frac{-35}{5} = -7)$$

$$5y - 25 = -7x - 7$$

$$7x + 5y - 25 = -7$$

$$7x + 5y - 18 = 0$$

(b) For the coordinates of  $A$  substitute  $y = 0$ :

$$7x + 5(0) - 18 = 0$$

$$7x - 18 = 0$$

$$7x = 18$$

$$x = \frac{18}{7}$$

The coordinates of  $A$  are  $\left(\frac{18}{7}, 0\right)$ .

For the coordinates of  $B$  substitute  $x = 0$ :

$$7(0) + 5y - 18 = 0$$

$$5y - 18 = 0$$


$$5y = 18$$

$$y = \frac{18}{5}$$

The coordinates of  $B$  are  $\left(0, \frac{18}{5}\right)$ .

The area of  $\triangle OAB$  is

$$\frac{1}{2} \times \frac{18}{7} \times \frac{18}{5} = \frac{162}{35}$$



© Pearson Education Ltd 2008

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise F, Question 13

#### Question:

The points  $A$  and  $B$  have coordinates  $(k, 1)$  and  $(8, 2k - 1)$  respectively, where  $k$  is a constant. Given that the gradient of  $AB$  is  $\frac{1}{3}$ ,

(a) Show that  $k = 2$ .

(b) Find an equation for the line through  $A$  and  $B$ . **[E]**

#### Solution:

(a) The gradient of  $AB$  is

$$\frac{y_2 - y_1}{x_2 - x_1} = \frac{1}{3}$$

$$\frac{(2k - 1) - 1}{8 - k} = \frac{1}{3}$$

$$\frac{2k - 1 - 1}{8 - k} = \frac{1}{3}$$

$$\frac{2k - 2}{8 - k} = \frac{1}{3}$$

Multiply each side by  $(8 - k)$  :

$$2k - 2 = \frac{1}{3} (8 - k)$$

Multiply each term by 3:

$$6k - 6 = 8 - k$$

$$7k - 6 = 8$$

$$7k = 14$$

$$k = 2$$

(b)  $k = 2$

So  $A$  and  $B$  have coordinates  $(2, 1)$  and  $(8, 3)$ .

The equation of the line is

$$\frac{y - y_1}{y_2 - y_1} = \frac{x - x_1}{x_2 - x_1}$$

$$\frac{y - 1}{3 - 1} = \frac{x - 2}{8 - 2}$$

$$\frac{y - 1}{2} = \frac{x - 2}{6}$$

Multiply each side by 2:

$$y - 1 = \frac{1}{3} (x - 2)$$

$$y - 1 = \frac{1}{3}x - \frac{2}{3}$$

$$y = \frac{1}{3}x + \frac{1}{3}$$

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise F, Question 14

#### Question:

The straight line  $l_1$  has equation  $4y + x = 0$ .

The straight line  $l_2$  has equation  $y = 2x - 3$ .

(a) On the same axes, sketch the graphs of  $l_1$  and  $l_2$ . Show clearly the coordinates of all points at which the graphs meet the coordinate axes.

The lines  $l_1$  and  $l_2$  intersect at the point A.

(b) Calculate, as exact fractions, the coordinates of A.

(c) Find an equation of the line through A which is perpendicular to  $l_1$ . Give your answer in the form  $ax + by + c = 0$ , where  $a$ ,  $b$  and  $c$  are integers. **[E]**

#### Solution:

(a) (1) Rearrange  $4y + x = 0$  into the form  $y = mx + c$ :

$$4y = -x$$

$$y = -\frac{1}{4}x$$

$l_1$  has gradient  $-\frac{1}{4}$  and it meets the coordinate axes at  $(0, 0)$ .

(2)  $l_2$  has gradient 2 and it meets the y-axis at  $(0, -3)$ .

$l_2$  meets the x-axis when  $y = 0$ .


Substitute  $y = 0$ :

$$0 = 2x - 3$$

$$2x = 3$$

$$x = \frac{3}{2}$$

$l_2$  meets the x-axis at  $\left(\frac{3}{2}, 0\right)$ .



(b) Solve  $4y + x = 0$  and  $y = 2x - 3$  simultaneously.

Substitute:

$$4(2x - 3) + x = 0$$

$$8x - 12 + x = 0$$

$$9x - 12 = 0$$

$$9x = 12$$

$$x = \frac{12}{9}$$

$$x = \frac{4}{3}$$

Substitute  $x = \frac{4}{3}$  into  $y = 2x - 3$ :

$$y = 2 \left( \frac{4}{3} \right) - 3 = \frac{8}{3} - 3 = -\frac{1}{3}$$

The coordinates of A are  $\left( \frac{4}{3}, -\frac{1}{3} \right)$ .

(c) The gradient of  $l_1$  is  $-\frac{1}{4}$ .

The gradient of a line perpendicular to  $l_1$  is  $-\frac{1}{-\frac{1}{4}} = 4$ .

The equation of the line is

$$y - y_1 = m(x - x_1)$$

$$y - \left( -\frac{1}{3} \right) = 4 \left( x - \frac{4}{3} \right)$$

$$y + \frac{1}{3} = 4x - \frac{16}{3}$$

$$y = 4x - \frac{17}{3}$$

Multiply each term by 3:

$$3y = 12x - 17$$

$$0 = 12x - 3y - 17$$

The equation of the line is  $12x - 3y - 17 = 0$ .

# Solutionbank C1

## Edexcel Modular Mathematics for AS and A-Level

### Coordinate geometry in the (x, y) plane

#### Exercise F, Question 15

#### Question:

The points  $A$  and  $B$  have coordinates  $(4, 6)$  and  $(12, 2)$  respectively.

The straight line  $l_1$  passes through  $A$  and  $B$ .

(a) Find an equation for  $l_1$  in the form  $ax + by + c = 0$ , where  $a$ ,  $b$  and  $c$  are integers.

The straight line  $l_2$  passes through the origin and has gradient  $-4$ .

(b) Write down an equation for  $l_2$ .

The lines  $l_1$  and  $l_2$  intersect at the point  $C$ .

(c) Find the coordinates of  $C$ . **[E]**

#### Solution:

(a) The equation of  $l_1$  is

$$\frac{y - y_1}{y_2 - y_1} = \frac{x - x_1}{x_2 - x_1}$$

$$\frac{y - 6}{2 - 6} = \frac{x - 4}{12 - 4}$$

$$\frac{y - 6}{-4} = \frac{x - 4}{8}$$

Multiply each side by 8:

$$-2(y - 6) = x - 4 \quad (\text{Note: } \frac{8}{-4} = -2)$$

$$-2y + 12 = x - 4$$

$$-2y + 16 = x$$

$$16 = x + 2y$$

$$0 = x + 2y - 16$$

The equation of the line is  $x + 2y - 16 = 0$

(b) The equation of  $l_2$  is

$$y - y_1 = m(x - x_1)$$

$$y - 0 = -4(x - 0)$$

$$y = -4x$$

(c) Solve  $y = -4x$  and  $x + 2y = 16$  simultaneously.

Substitute:

$$x + 2(-4x) = 16$$

$$x - 8x = 16$$

$$-7x = 16$$

$$x = \frac{16}{-7}$$

$$x = -\frac{16}{7}$$

Substitute  $x = -\frac{16}{7}$  in  $y = -4x$ :

$$y = -4 \left( -\frac{16}{7} \right) = \frac{64}{7}$$

The coordinates of  $C$  are  $\left( -\frac{16}{7}, \frac{64}{7} \right)$ .

© Pearson Education Ltd 2008