

1.

$$y = 3^x + 2x$$

(a) Complete the table below, giving the values of y to 2 decimal places.

x	0	0.2	0.4	0.6	0.8	1
y	1	1.65				5

(2)

(b) Use the trapezium rule, with all the values of y from your table, to find an approximate

value for $\int_0^1 (3^x + 2x) \, dx$.

(4)



2. $f(x) = 3x^3 - 5x^2 - 58x + 40$

- (a) Find the remainder when $f(x)$ is divided by $(x - 3)$. (2)

Given that $(x - 5)$ is a factor of $f(x)$,

- (b) find all the solutions of $f(x) = 0$.

3.

$$y = x^2 - k \sqrt{x}, \text{ where } k \text{ is a constant.}$$

(a) Find $\frac{dy}{dx}$.

(2)

(b) Given that y is decreasing at $x = 4$, find the set of possible values of k .

(2)



- (4)

Given that the coefficient of x^2 in this expansion is 525,

- (2)

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

6.




Figure 1

Figure 1 shows the sector OAB of a circle with centre O , radius 9 cm and angle 0.7 radians.

- (a) Find the length of the arc AB . (2)

- (b) Find the area of the sector OAB . (2)

The line AC shown in Figure 1 is perpendicular to OA , and OBC is a straight line.

- (c) Find the length of AC , giving your answer to 2 decimal places. (2)

The region H is bounded by the arc AB and the lines AC and CB .

- (d) Find the area of H , giving your answer to 2 decimal places. (3)

[illegible]






Figure 2 shows a sketch of part of the curve C with equation

$$y = x^3 - 10x^2 + kx,$$

The point P on C is the maximum turning point.

Given that the x -coordinate of P is 2,

- (a) show that $k = 28$.

(3)

The line through P parallel to the x -axis cuts the y -axis at the point N . The region R is bounded by C , the y -axis and PN , as shown shaded in Figure 2.

- (b) Use calculus to find the exact area of R .

(6)

[illegible]

10. The circle C has centre $A(2, 1)$ and passes through the point $B(10, 7)$.

(a) Find an equation for C .

(4)

The line l_1 is the tangent to C at the point B .

(b) Find an equation for l_1 .

(4)

The line l_2 is parallel to l_1 and passes through the mid-point of AB .

Given that l_2 intersects C at the points P and Q ,

(c) find the length of PQ , giving your answer in its simplest surd form.

(3)

[illegible]

Question 10 continued

Handwriting practice area with 30 horizontal lines.

Q10

--	--

(Total 11 marks)

TOTAL FOR PAPER: 75 MARKS

END

