Centre No.					Pape	er Refer	ence			Surname	Initial(s)
Candidate No.			6	6	6	3	/	0	1	Signature	

6663/01

Edexcel GCE

Core Mathematics C1 Advanced Subsidiary

Wednesday 16 May 2012 – Morning

Time: 1 hour 30 minutes

Materials required for examination

Mathematical Formulae (Pink)





Items included with question papers

Exam	iner's use	e only
Team L	eader's u	ise only

Question Number	Leave Blank
1	
2	

3	
4	

3	
6	

7	

O	
0	

9	
10	

Instructions to Candidates

In the boxes above, write your centre number, candidate number, your surname, initials and signature. Check that you have the correct question paper.

Calculators may NOT be used in this examination.

Answer ALL the questions.

You must write your answer for each question in the space following the question.

Information for Candidates

A booklet 'Mathematical Formulae and Statistical Tables' is provided.

Full marks may be obtained for answers to ALL questions.

The marks for individual questions and the parts of questions are shown in round brackets: e.g. (2).

There are 10 questions in this question paper. The total mark for this paper is 75.

There are 24 pages in this question paper. Any blank pages are indicated.

Advice to Candidates

You must ensure that your answers to parts of questions are clearly labelled. You should show sufficient working to make your methods clear to the Examiner. Answers without working may not gain full credit.

This publication may be reproduced only in accordance with Pearson Education Ltd copyright policy. ©2012 Pearson Education Ltd

W850/R6663/57570 5/5/5/5



Turn over

Total



Find $\int \left(6x^2 + \frac{2}{x^2} + 5\right) dx$	
giving each term in its simplest form.	(4)

Q1

(Total 4 marks)

(b) Simplify fully $\left(\frac{25x^4}{4}\right)^{-\frac{1}{2}}$	(2)

P 4 0 6 8 4 A 0 3 2 4

(Total 4 marks)

	Leave	
I	blank	
I		
I		
I		
I		
I		
I		
I		
I		
I		
ı		

Show that	$\frac{2}{\sqrt{(12)-\sqrt{(8)}}}$	can be written in the form $\sqrt{a} + \sqrt{b}$, where a and b are integer	ers. (5)
	. , , , ,		



4	
4	

$$y = 5x^3 - 6x^{\frac{4}{3}} + 2x - 3$$

(a) Find $\frac{dy}{dx}$ giving each term in its simplest form.

(4)

(b)	Find	$\frac{\mathrm{d}^2 y}{\mathrm{d} x^2}$
-----	------	---

(2)



5. A sequence of numbers $a_1, a_2, a_3 \dots$ is defined by

$$a_1 = 3$$

$$a_{n+1} = 2a_n - c \qquad (n \geqslant 1)$$

where c is a constant.

(a) Write down an expression, in terms of c, for a_2

(1)

(b) Show that $a_3 = 12 - 3c$

(2)

Given that $\sum_{i=1}^{4} a_i \geqslant 23$

(c) find the range of values of c.

(4)



6.	A boy saves	some	money	over a	a perio	od of	60	weeks.	He	saves	10p i	in	week	1,
	15p in week 2	, 1		3 and	l so or	until	we	ek 60.	His	weekly	savin	gs	form	an
	arithmetic seq	uence.												

(a) Find how much he saves in week 15

(2)

(b) Calculate the total amount he saves over the 60 week period.

(3)

The boy's sister also saves some money each week over a period of m weeks. She saves 10p in week 1, 20p in week 2, 30p in week 3 and so on so that her weekly savings form an arithmetic sequence. She saves a total of £63 in the m weeks.

(c) Show that

$$m(m + 1) = 35 \times 36$$

(4)

(d) Hence write down the value of m.

(1)





estion 6 continued		



7. The point P(4, -1) lies on the curve C with equation y = f(x), x > 0, and

$$f'(x) = \frac{1}{2}x - \frac{6}{\sqrt{x}} + 3$$

(a) Find the equation of the tangent to C at the point P, giving your answer in the form y = mx + c, where m and c are integers.

(4)

(b) Find f(x).

(4)



Q	
O	٠

$$4x - 5 - x^2 = q - (x + p)^2$$

where p and q are integers.

(a) Find the value of p and the value of q.


(3)

(b) Calculate the discriminant of $4x - 5 - x^2$

(2)

(c) On the axes on page 17, sketch the curve with equation $y = 4x - 5 - x^2$ showing clearly the coordinates of any points where the curve crosses the coordinate axes.

(3)



9. The line L_1 has equation 4y + 3 = 2x

The point A(p, 4) lies on L_1

(a) Find the value of the constant p.

(1)

The line L_2 passes through the point $C\left(2,4\right)$ and is perpendicular to L_1

(b) Find an equation for L_2 giving your answer in the form ax + by + c = 0, where a, b and c are integers.

(5)

The line L_1 and the line L_2 intersect at the point D.

(c) Find the coordinates of the point D.

(3)

(d) Show that the length of *CD* is $\frac{3}{2}\sqrt{5}$

(3)

A point B lies on L_1 and the length of $AB = \sqrt{(80)}$

The point E lies on L_2 such that the length of the line CDE = 3 times the length of CD.

(e) Find the area of the quadrilateral ACBE.

(3)





uestion 9 continued			



10.




Figure 1

Figure 1 shows a sketch of the curve C with equation y = f(x) where

$$f(x) = x^2(9 - 2x)$$

There is a minimum at the origin, a maximum at the point (3, 27) and C cuts the x-axis at the point A.

(a) Write down the coordinates of the point A.

(1)

(b) On separate diagrams sketch the curve with equation

(i)
$$y = f(x + 3)$$

(ii)
$$y = f(3x)$$

On each sketch you should indicate clearly the coordinates of the maximum point and any points where the curves cross or meet the coordinate axes.

(6)

The curve with equation y = f(x) + k, where k is a constant, has a maximum point at (3, 10).

(c) Write down the value of k.

(1)



Question 10 continued		blank
-		
		Q10
	(Total 8 marks)	
	TOTAL FOR PAPER: 75 MARKS	
	END	