

C3 TRIGONOMETRY**Worksheet F**

- 1 Express each of the following in the form $R \cos(x - \alpha)^\circ$, where $R > 0$ and $0 < \alpha < 90$.
Give the values of R and α correct to 1 decimal place where appropriate.
- a $\cos x^\circ + \sin x^\circ$ b $3 \cos x^\circ + 4 \sin x^\circ$
c $2 \sin x^\circ + \cos x^\circ$ d $\cos x^\circ + \sqrt{3} \sin x^\circ$
- 2 Express each of the following in the given form, where $R > 0$ and $0 < \alpha < 90$.
Give the exact value of R and the value of α correct to 1 decimal place.
- a $5 \cos x^\circ - 12 \sin x^\circ$, $R \cos(x + \alpha)^\circ$ b $4 \sin x^\circ + 2 \cos x^\circ$, $R \sin(x + \alpha)^\circ$
c $\sin x^\circ - 7 \cos x^\circ$, $R \sin(x - \alpha)^\circ$ d $8 \cos 2x^\circ - 15 \sin 2x^\circ$, $R \cos(2x + \alpha)^\circ$
- 3 Express each of the following in the given form, where $R > 0$ and $0 < \alpha < \frac{\pi}{2}$.
Give the exact value of R and the value of α correct to 2 decimal places where appropriate.
- a $3 \sin x - 2 \cos x$, $R \sin(x - \alpha)$ b $3 \cos x + \sqrt{3} \sin x$, $R \cos(x - \alpha)$
c $8 \sin 3x + 6 \cos 3x$, $R \sin(3x + \alpha)$ d $\cos x + \frac{1}{2} \sin x$, $R \cos(x - \alpha)$
- 4 Find the maximum value that each expression can take and the smallest positive value of x , in degrees, for which this occurs.
- a $24 \sin x - 7 \cos x$ b $4 \cos 2x + 4 \sin 2x$
c $3 \cos x - 5 \sin x$ d $5 \sin 3x + \cos 3x$
- 5 a Express $3 \sin x^\circ - 3 \cos x^\circ$ in the form $R \sin(x - \alpha)^\circ$, where $R > 0$ and $0 < \alpha < 90$.
b Hence, describe two transformations that would map the graph of $y = \sin x^\circ$ onto the graph of $y = 3 \sin x^\circ - 3 \cos x^\circ$.
- 6 By first expressing each curve in an appropriate form, sketch each of the following for x in the interval $0 \leq x \leq 360^\circ$, showing the coordinates of any turning points.
- a $y = 12 \cos x + 5 \sin x$ b $y = \sin x - 2 \cos x$
c $y = 2\sqrt{3} \cos x - 6 \sin x$ d $y = 9 \sin x + 4 \cos x$
- 7 a Express $\sqrt{3} \cos x - \sin x$ in the form $R \cos(x + \alpha)$, where $R > 0$ and $0 < \alpha < \frac{\pi}{2}$.
b Solve the equation $\sqrt{3} \cos x - \sin x = 1$ for x in the interval $0 \leq x \leq 2\pi$, giving your answers in terms of π .
- 8 Solve each equation for x in the interval $0 \leq x \leq 2\pi$, giving your answers to 2 decimal places.
- a $6 \sin x + 8 \cos x = 5$ b $2 \cos x - 2 \sin x = 1$
c $7 \sin x - 24 \cos x - 10 = 0$ d $3 \cos x + \sin x + 1 = 0$
e $\cos 2x + 4 \sin 2x = 3$ f $5 \sin x - 8 \cos x + 7 = 0$
- 9 Solve each equation for x in the interval $-180^\circ \leq x \leq 180^\circ$, giving your answers to 1 decimal place where appropriate.
- a $\sin x + \cos x = 1$ b $4 \cos x - \sin x + 2 = 0$
c $\cos \frac{x}{2} + 5 \sin \frac{x}{2} - 4 = 0$ d $6 \sin x = 5 - 3 \cos x$