

**OXFORD CAMBRIDGE AND RSA EXAMINATIONS**

**Advanced Subsidiary General Certificate of Education  
Advanced General Certificate of Education**

**MATHEMATICS**

**4724**

Core Mathematics 4

Monday            **12 JUNE 2006**            Afternoon            1 hour 30 minutes

Additional materials:  
8 page answer booklet  
Graph paper  
List of Formulae (MF1)

**TIME**    1 hour 30 minutes

**INSTRUCTIONS TO CANDIDATES**

- Write your name, centre number and candidate number in the spaces provided on the answer booklet.
- Answer **all** the questions.
- Give non-exact numerical answers correct to 3 significant figures unless a different degree of accuracy is specified in the question or is clearly appropriate.
- You are permitted to use a graphical calculator in this paper.

**INFORMATION FOR CANDIDATES**

- The number of marks is given in brackets [ ] at the end of each question or part question.
- The total number of marks for this paper is 72.
- Questions carrying smaller numbers of marks are printed earlier in the paper, and questions carrying larger numbers of marks later in the paper.
- **You are reminded of the need for clear presentation in your answers.**

---

**This question paper consists of 3 printed pages and 1 blank page.**

- 1 Find the gradient of the curve  $4x^2 + 2xy + y^2 = 12$  at the point  $(1, 2)$ . [4]
- 2 (i) Expand  $(1 - 3x)^{-2}$  in ascending powers of  $x$ , up to and including the term in  $x^2$ . [3]
- (ii) Find the coefficient of  $x^2$  in the expansion of  $\frac{(1 + 2x)^2}{(1 - 3x)^2}$  in ascending powers of  $x$ . [4]
- 3 (i) Express  $\frac{3 - 2x}{x(3 - x)}$  in partial fractions. [3]
- (ii) Show that  $\int_1^2 \frac{3 - 2x}{x(3 - x)} dx = 0$ . [4]
- (iii) What does the result of part (ii) indicate about the graph of  $y = \frac{3 - 2x}{x(3 - x)}$  between  $x = 1$  and  $x = 2$ ? [1]
- 4 The position vectors of three points  $A$ ,  $B$  and  $C$  relative to an origin  $O$  are given respectively by
- $$\begin{aligned}\overrightarrow{OA} &= 7\mathbf{i} + 3\mathbf{j} - 3\mathbf{k}, \\ \overrightarrow{OB} &= 4\mathbf{i} + 2\mathbf{j} - 4\mathbf{k} \\ \text{and } \overrightarrow{OC} &= 5\mathbf{i} + 4\mathbf{j} - 5\mathbf{k}.\end{aligned}$$
- (i) Find the angle between  $AB$  and  $AC$ . [6]
- (ii) Find the area of triangle  $ABC$ . [2]
- 5 A forest is burning so that,  $t$  hours after the start of the fire, the area burnt is  $A$  hectares. It is given that, at any instant, the rate at which this area is increasing is proportional to  $A^2$ .
- (i) Write down a differential equation which models this situation. [2]
- (ii) After 1 hour, 1000 hectares have been burnt; after 2 hours, 2000 hectares have been burnt. Find after how many hours 3000 hectares have been burnt. [6]
- 6 (i) Show that the substitution  $u = e^x + 1$  transforms  $\int \frac{e^{2x}}{e^x + 1} dx$  to  $\int \frac{u - 1}{u} du$ . [3]
- (ii) Hence show that  $\int_0^1 \frac{e^{2x}}{e^x + 1} dx = e - 1 - \ln\left(\frac{e + 1}{2}\right)$ . [5]

7 Two lines have vector equations

$$\mathbf{r} = \mathbf{i} - 2\mathbf{j} + 4\mathbf{k} + \lambda(3\mathbf{i} + \mathbf{j} + a\mathbf{k}) \quad \text{and} \quad \mathbf{r} = -8\mathbf{i} + 2\mathbf{j} + 3\mathbf{k} + \mu(\mathbf{i} - 2\mathbf{j} - \mathbf{k}),$$

where  $a$  is a constant.

(i) Given that the lines are skew, find the value that  $a$  cannot take. [6]

(ii) Given instead that the lines intersect, find the point of intersection. [2]

8 (i) Show that  $\int \cos^2 6x \, dx = \frac{1}{2}x + \frac{1}{24} \sin 12x + c$ . [3]

(ii) Hence find the exact value of  $\int_0^{\frac{1}{12}\pi} x \cos^2 6x \, dx$ . [6]

9 A curve is given parametrically by the equations

$$x = 4 \cos t, \quad y = 3 \sin t,$$

where  $0 \leq t \leq \frac{1}{2}\pi$ .

(i) Find  $\frac{dy}{dx}$  in terms of  $t$ . [3]

(ii) Show that the equation of the tangent at the point  $P$ , where  $t = p$ , is

$$3x \cos p + 4y \sin p = 12. \quad [3]$$

(iii) The tangent at  $P$  meets the  $x$ -axis at  $R$  and the  $y$ -axis at  $S$ .  $O$  is the origin. Show that the area of triangle  $ORS$  is  $\frac{12}{\sin 2p}$ . [3]

(iv) Write down the least possible value of the area of triangle  $ORS$ , and give the corresponding value of  $p$ . [3]

**BLANK PAGE**