

Write your name here

Surname

Other names

Pearson Edexcel
International
Advanced Level

Centre Number

--	--	--	--	--

Candidate Number

--	--	--	--	--

Statistics S1

Advanced/Advanced Subsidiary

Tuesday 10 June 2014 – Morning

Time: 1 hour 30 minutes

Paper Reference

WST01/01

You must have:

Mathematical Formulae and Statistical Tables (Blue)

Total Marks

Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B). Coloured pencils and highlighter pens must not be used.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided – *there may be more space than you need.*
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Values from the statistical tables should be quoted in full. When a calculator is used, the answer should be given to an appropriate degree of accuracy.

Information

- The total mark for this paper is 75.
- The marks for **each** question are shown in brackets – *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P43144A

©2014 Pearson Education Ltd.

5/1/1/



PEARSON

1. A medical researcher is studying the relationship between age (x years) and volume of blood (y ml) pumped by each contraction of the heart. The researcher obtained the following data from a random sample of 8 patients.

Age (x)	20	25	30	45	55	60	65	70
Volume (y)	74	76	77	72	68	67	64	62

[You may use $\sum x = 370$, $S_{xx} = 2587.5$, $\sum y = 560$, $\sum y^2 = 39\,418$, $S_{xy} = -710$]

- (a) Calculate S_{yy} (2)
- (b) Calculate the product moment correlation coefficient for these data. (2)
- (c) Interpret your value of the correlation coefficient. (1)

The researcher believes that a linear regression model may be appropriate to describe these data.

- (d) State, giving a reason, whether or not your value of the correlation coefficient supports the researcher's belief. (1)
- (e) Find the equation of the regression line of y on x , giving your answer in the form $y = a + bx$ (4)

Jack is a 40-year-old patient.

- (f) (i) Use your regression line to estimate the volume of blood pumped by each contraction of Jack's heart.
- (ii) Comment, giving a reason, on the reliability of your estimate. (2)





2. The table below shows the distances (to the nearest km) travelled to work by the 50 employees in an office.

Distance (km)	Frequency (f)	Distance midpoint (x)
0 – 2	16	1.25
3 – 5	12	4
6 – 10	10	8
11 – 20	8	15.5
21 – 40	4	30.5

[You may use $\sum fx = 394$, $\sum fx^2 = 6500$]

A histogram has been drawn to represent these data.

The bar representing the distance of 3 – 5 has a width of 1.5 cm and a height of 6 cm.

- (a) Calculate the width and height of the bar representing the distance of 6 – 10 (3)

- (b) Use linear interpolation to estimate the median distance travelled to work. (2)

- (c) (i) Show that an estimate of the mean distance travelled to work is 7.88 km.
(ii) Estimate the standard deviation of the distances travelled to work. (4)

- (d) Describe, giving a reason, the skewness of these data. (2)

Peng starts to work in this office as the 51st employee.

She travels a distance of 7.88 km to work.

- (e) Without carrying out any further calculations, state, giving a reason, what effect Peng's addition to the workforce would have on your estimates of the
- (i) mean,
- (ii) median,
- (iii) standard deviation
- of the distances travelled to work. (3)





x	1	3	5	7
$F(x)$	0.2	0.5	0.9	1

- (a) Find the probability distribution of X (4)
- (b) Find $P(2 < X \leq 6)$ (2)
- (c) Write down the value of $F(4)$ (1)



[illegible]




6. The Venn diagram below shows the probabilities of customers having various combinations of a starter, main course or dessert at Polly's restaurant.

S = the event a customer has a starter.

M = the event a customer has a main course.

D = the event a customer has a dessert.



Given that the events S and D are statistically independent

- (a) find the value of p . (4)
- (b) Hence find the value of q . (2)
- (c) Find
- (i) $P(D | M \cap S)$
- (ii) $P(D | M \cap S')$ (4)

One evening 63 customers are booked into Polly's restaurant for an office party. Polly has asked for their starter and main course orders before they arrive.

Of these 63 customers

27 ordered a main course and a starter,

36 ordered a main course without a starter.

- (d) Estimate the number of desserts that these 63 customers will have. (2)





- (c) Find the probability that 1 is awarded a gold certificate and 2 are awarded silver certificates. Give your answer to 2 significant figures. (3)

