






Question Number	Scheme	Marks
<p>1. (a)</p> <p>(b)</p>	<p>CLM: $2000 \times 10 = 2000v + 3000 \times 5$</p> <p>$v = 2.5 \text{ m s}^{-1}$</p> <p>$I = 3000 \times 5$ (or $2000(10 - 2.5)$)</p> <p>$= 15\,000 \text{ N s}$</p>	<p>M1, A1</p> <p>B1 (3)</p> <p>M1</p> <p>A1 (2)</p> <p>(5 marks)</p>
<p>2. (a)</p> <p>(b)</p>	 <p>$R(\uparrow) \quad 8 = 12 \cos \beta$ or $12 \sin \alpha$</p> <p>$\Rightarrow \beta = 41.8^\circ$ or $\alpha = 48.2^\circ$</p> <p>$\Rightarrow \theta = 138.2^\circ$</p> <p>$R(\rightarrow) \quad X = 12 \cos 41.8^\circ$ (or $12 \sin 48.2^\circ$)</p> <p>$= 8.94$</p>	<p>M1</p> <p>A1</p> <p>A1 (3)</p> <p>M1 A1ft</p> <p>A1 (3)</p> <p>(6 marks)</p>
<p>3. (a)</p> <p>(b)</p>	<p>$\mathbf{a} = [-14\mathbf{i} + 21\mathbf{j} - (6\mathbf{i} - 27\mathbf{j})] \div 4$</p> <p>$= (-5\mathbf{i} + 12\mathbf{j}) \text{ m s}^{-2}$</p> <p>$\mathbf{a} = \sqrt{5^2 + 12^2} = 13$</p> <p>$\mathbf{F} = m \mathbf{a} = 0.4 \times 13 = 5.2 \text{ N}$</p>	<p>M1 A1</p> <p>A1 (3)</p> <p>M1</p> <p>M1 A1 (3)</p> <p>(6 marks)</p>
<p>Alt (b)</p>	<p>$\mathbf{F} = 0.4(5\mathbf{i} + 12\mathbf{j}) = 2\mathbf{i} + 4.8\mathbf{j}$</p> <p>$\mathbf{F} = \sqrt{2^2 + 4.8^2} = 5.2 \text{ N}$</p>	<p>M1</p> <p>M1 A1 (3)</p>

Question Number	Scheme	Marks
<p>4. (a) $\mathbf{p} = 10t\mathbf{j}$ $\mathbf{q} = (6\mathbf{i} + 12\mathbf{j}) + (-8\mathbf{i} + 6\mathbf{j})t$</p> <p>(b) $t = 3: \mathbf{p} = 30\mathbf{j}, \mathbf{q} = -18\mathbf{i} + 30\mathbf{j}$ \Rightarrow dist. apart = 18 km</p> <p>Alt. (b) $\mathbf{PQ} = \mathbf{q} - \mathbf{p} = (6 - 8t)\mathbf{i} + (12 - 4t)\mathbf{j}$ $t = 3: \mathbf{PQ} = -18\mathbf{i} + 0\mathbf{j}$ Dist. = 18 km</p> <p>(c) Q north of $P \Rightarrow 6 - 8t = 0$ $t = \frac{3}{4}$</p>	<p style="text-align: right;">or $\mathbf{PQ} ^2 = (6 - 8t)^2 + (12 - 4t)^2$ $t = 3 \rightarrow \mathbf{PQ} = 18$</p>	<p>B1 M1 A1 (3) M1 A1 A1 (3) M1 A1 A1 M1 A1 (2) (8 marks)</p>
<p>5.</p>	 <p>$R(\nearrow): T \cos 20^\circ = F + 1.5g \sin 30^\circ$ $R(\nwarrow): T \sin 20^\circ + R = 1.5g \cos 30^\circ$ Using $F = \frac{1}{3}R$ Eliminating R, solve T $T = 11$ or 11.0 N</p>	<p>M1 A2,1,0 M1 A2,1,0 M1 M1, M1 A1 (10 marks)</p>
<p>6.</p>	 <p>(a) $M(A): Wx + 120 \times 1.5 = R \times 2 + 2R \times 1$ $R(\uparrow) \quad 3R = W + 120$ Hence $Wx + 180 = 3R = W = 120$ $W(1 - x) = 60$ $W = \frac{60}{1 - x}$</p> <p>(b) $W > 0 \Rightarrow x < 1$</p>	<p>M1 A2, 1, 0 M1 A1 M1 A1 M1 A1cso (8) M1 A1 (2) (10 marks)</p>

Question Number	Scheme	Marks
7.	<p>(a) $v^2 = u^2 + 2as: \quad 0 = u^2 - 2 \times 9.8 \times 25.6$ $u^2 = 501.76 \Rightarrow u = 22.4 \text{ (★)}$</p> <p>(b) $-1.5 = 22.4T - 4.9T^2$ $4.9T^2 - 22.4T - 1.5 = 0$ $T = \frac{22.4 \pm \sqrt{22.4^2 + 4 \times 1. \times 4.9}}{9.8}$ $= 4.64 \text{ s}$</p> <p>(c) Speed at ground $v = 22.4 - 9.8 \times 4.64$ $v = -23.07$ (or $v^2 = 22.4^2 + 2 \times 9.8 \times 1.5, \quad v = 23.05$) $v^2 = u^2 + 2as: \quad 0 = 23.07^2 + 2 \times a \times 0.025$ $(\rightarrow a = -10644.5)$ $F - 0.6g = 0.6a$ $F = 6390 \text{ N (3 sf)}$</p> <p>(d) Air resistance; variable F;</p>	<p>M1 A1 A1cso (3) M1 A1 M1 A1 (4) M1 A1 M1 A1ft M1 A1 (6) B1 (1) (14 marks)</p>

Question Number	Scheme	Marks
<p>8. (a)</p>  <p>(b)</p> <p>$a = 0.6g = 5.88$</p> <p>Hence $0.6 = \frac{1}{2} \times 0.6g \times t^2$</p> <p>$t = 0.45$ or 0.452 s</p>  <p>Solve: $a' = 0.52g$</p> <p>$0.6 = \frac{1}{2} \times 0.52g \times t^2$</p> <p>$t = 0.49$ or 0.485 s</p>	<p>$A: T = 0.8a$</p> <p>$B: 1.2g - T = 1.2a$</p> <p>Solve: $T = 0.48g = 4.7$ N</p> <p>$F = \mu R = \frac{1}{5} \times 0.8g$</p> <p>$A: T' - F = 0.8a'$</p> <p>$B: 1.2g - T' = 1.2a'$</p>	<p>B1</p> <p>M1 A1</p> <p>M1 A1 (5)</p> <p>M1</p> <p>M1</p> <p>A1 (3)</p> <p>B1</p> <p>M1 A1</p> <p>B1</p> <p>M1 A1</p> <p>M1</p> <p>A1 (8)</p> <p>(16 marks)</p>